

TRAX

Professional Tools

2018 Catalogue



Guaranteed Quality & Performance

ARX-05
3/8"Dr. Butterfly Air Impact Wrench

Square Drive.....	3/8"
Mechanism.....	Rocking Dog
Free Speed.....	10,000R.P.M.
Working Torque	5~50 ft-lb (6.8~ 68 Nm)
Max. Torque.....	75ft-lb (101.7Nm)
Net Weight.....	0.9kg
Overall Length.....	150mm
Air Pressure.....	90psi
Air Consumption.....	3 cfm
Air Inlet.....	1/4"PT


ARX-10
3/8"Dr. Air Impact Wrench

Square Drive.....	3/8"
Mechanism.....	Pin Clutch
Free Speed.....	10,000R.P.M.
Max.Torque.....	160ft-lb (217Nm)
Net Weight.....	1.6kg
Overall Length.....	163mm
Air Pressure.....	90psi
Air Consumption.....	3cfm
Air Exhaust.....	Side Exhaust
Air Inlet.....	1/4"PT


Features

- ✓ Push button forward / reverse for single hand operation.
- ✓ Forward: 4 Speed
Reverse: 4 Speed

ARX-CT6BN
3/8"Dr. Straight Air Impact Wrench

Square Drive.....	3/8"
Mechanism.....	Twin Hammer
Free Speed.....	8,300R.P.M.
Bolt Size Capacity.....	10mm
Working Torque.....	59ft-lb (80Nm)
Max. Torque.....	148ft-lb (200Nm)
Net Weight	0.98kg
Overall Length.....	190mm
Air Pressure.....	90psi
Sound Pressure.....	94dBA
Air Consumption.....	7.5cfm
Air Inlet.....	1/4"PT
Air Exhaust.....	Side Exhaust

(Japanese Uryu Type)



ARX-15
1/2"Dr. Light Duty Air Impact Wrench

Square Drive.....	1/2"
Mechanism.....	Rocking Dog
Free Speed.....	7,000R.P.M.
Max.Torque.....	260ft-lb (353Nm)
Sound Pressure.....	94dBA
Net Weight.....	2.2kg
Overall Length.....	185mm
Air Pressure.....	90psi
Air Consumption.....	4.5cfm
Air Inlet.....	1/4"PT
Vibration.....	10.4m/s ²


Features

- ✓ Economical impact wrench, suitable for Light Duty & DIY user.

ARX-15K
1/2"Dr. Light Duty Air Impact Wrench Kit

1/2" Air Impact Wrench.....	ARX-15
Socket Size (mm).....	10, 12, 13, 14, 15, 16, 17, 18, 19, 21
Accessory.....	Mini Oiler * 1pc 4mm Hex Key*1pc Quick Fitting Plug*1pc Oil Pot*1pc


ARX-15/32K
1/2"Dr. Air Impact & Ratchet Wrench Kit

1/2" Air Impact Wrench.....	ARX-15
1/2" Air Ratchet Wrench.....	ARX-32
Socket Size (mm).....	10, 12, 13, 14, 15, 16, 17, 18, 19, 21
Accessory.....	Mini Oiler*1pc 4mm Hex Key*1pc Quick Fitting Plug*1pc Oil Pot*1pc


ARX-0526
1/2"Dr. Air Impact Wrench

Square Drive.....	1/2"
Mechanism.....	Pin Clutch
Free Speed.....	8,200R.P.M.
Bolt Size Capacity.....	10mm
Hose Size.....	3/8"
Working Torque.....	280ft-lb (380Nm)
Max. Torque.....	340ft-lb (461Nm)
Net Weight	2.2kg
Overall Length.....	122mm
Air Pressure.....	90psi
Air Consumption.....	3.5cfm
Air Inlet.....	1/4"PT
Vibration.....	4.6m/s ²
Air Exhaust.....	Front Exhaust
(Japanese Uryu Type)	



ARX-300D
1/2"Dr. Air Impact Wrench

Square Drive.....	1/2"
Hose Size.....	3/8"
Mechanism.....	Pin Clutch
Free Speed.....	7,000R.P.M.
Max.Torque.....	380ft-lb (515Nm)
Sound Pressure.....	95dBA
Net Weight.....	2.7kg
Overall Length.....	190mm
Bolt Capacity.....	16mm
Air Pressure.....	90psi
Air Consumption.....	4.2cfm
Air Inlet.....	1/4"PT
Air Exhaust.....	Front Exhaust


ARX-660
1/2" Heavy Duty Impact Wrench

Square Drive.....	1/2"
Hose Size.....	3/8"
Mechanism.....	Twin Hammer
Free Speed.....	6,800R.P.M.
Max.Torque.....	800ft-lb (1,084Nm)
Net Weight.....	1.9kg
Overall Length.....	190mm
Air Pressure.....	90psi
Air Consumption.....	5cfm
Air Inlet.....	1/4"PT
Air Exhaust.....	Handle Exhaust

Features:

- ✓ Rigid motor and hammer structure
- ✓ 800ft-lb (1,084 Nm) High Torque
- ✓ 1.9kg Light-weight


One handle control speed

Rigid Structure

ARX-H202 / ARX-H202L
1/2"Dr. Air Impact Wrench

Square Drive.....	1/2"
Mechanism.....	Twin Hammer
Free Speed.....	6,000R.P.M.
Max.Torque.....	420ft-lb (570Nm)
Net Weight.....	1.9kg
Overall Length.....	170mm
Air Pressure.....	90psi
Air Consumption.....	6.5cfm
Air Inlet.....	1/4"PT
Air Exhaust.....	Handle Exhaust

ARX-H202
1" Short Anvil

ARX-H202L
3" Ext. Long Anvil


ARX-650

1/2"Dr. Composite Air Impact Wrench

Square Drive.....	1/2"
Mechanism.....	Twin Hammer
Free Speed.....	8,500R.P.M
Working Torque.....	650ft-lb (881Nm)
Max Torque.....	820ft-lb (1,111Nm)
Net Weight.	2.1kg
Overall Length.....	190m
Air Pressure.....	90psi
Air Consumption.....	4.6cfm
Air Inlet.....	1/4"PT

- ✓ Spring energised 7 piece of rotor blades for instant, constant and positive sealing to maximize power.



- ✓ 3 forward speeds
reverse is 1 speed at full power.

- ✓ Air inlet boss swivels
360 Degrees to
minimize hose twist
and wrist fatigue.

ARX-1130/ARX-1130B

1/2"Dr. Mini Air Impact Wrench

Square Drive.....	1/2"
Mechanism.....	Twin Hammer
Free Speed.....	10,000R.P.M
Working Torque.....	260ft-lb (353Nm)
Max Torque.....	500ft-lb (678Nm)
Net Weight.....	1.56kg
Overall Length.....	122m
Sound Pressure.....	86dBA
Air Pressure.....	90psi
Air Consumption.....	5.8cfm
Air Inlet.....	1/4"PT

Features

- ✓ Compact design, suitable for auto and agricultural machine repair & maintenance, particularly for confined area.

ARX-1130



ARX-1130B



ARX-1130K/ARX-1130BK

1/2"Dr. Mini Air Impact Wrench Kit

Features

- ✓ Compact design impact wrench with Ultra Short sockets good for using in Confined Space.

ARX-1130K



ARX-1130BK



ARX-1131
1/2" Ultra Mini Air Impact Wrench Kit

Square Drive.....1/2"
 Mechanism.....Jumbo Hammer
 Free Speed.....9,500R.P.M.
 Max. Torque.....500 ft-lb (678 Nm)
 Net Weight..... 1.65kg
 Overall Length..... 97mm
 Air Consumption..... 4.7 cfm
 Air Inlet.....1/4"PT


Features

- ✓ Compact Design for Confined Space
Only 97 mm in length
- Max reverse torque-500 ft-lb (678 Nm)
- Free access to confined spaces

ARX-1230
1/2"Dr. Straight Air Impact Wrench

Square Drive.....1/2"
 Mechanism.....Twin Hammer
 Free Speed.....11,000R.P.M.
 Working Torque 320ft-lb (433 Nm)
 Max. Torque..... 350ft-lb (472 Nm)
 Net Weight..... 1.65kg
 Overall Length..... 255mm
 Air Pressure.....90psi
 Air Consumption..... 4.7 cfm
 Air Inlet.....1/4"PT
 Air Exhaust..... Side Exhaust


Features

- ✓ Suitable for factory assembly line, car garage and light industry where the work piece is horizontal or above the operator.

ARX-1231
1/2"Dr. Short Air Impact Wrench

Square Drive..... 1/2"
 Hose Size..... 3/8"
 Mechanism..... Twin Hammer
 Free Speed.....,6,500R.P.M.
 Working Torque..... 500 ft-lb (678 Nm)
 Max. Torque..... 600 ft-lb (814 Nm)
 Net Weight..... 2.2kg
 Overall Length.....146mm
 Sound Pressure..... 85dBA
 Air Pressure..... 90psi
 Air Consumption..... 5cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Handle Exhaust


Features

- ✓ Light Weight and Short and High Torque design, suitable for auto and agricultural machine repair & maintenance, comfortable to use and minimizes fatigue.

ARX-677/ ARX-676
1/2"Dr. Angle Air Impact
Wrench
3/8"Dr. Angle Air Impact
Wrench

Square Drive..... 1/2"[3/8"]
 Mechanism..... Jumbo Hammer
 Free Speed..... 7,100R.P.M.
 Max. Torque 200ft-lb (353 Nm)
 Net Weight. 1.8kg
 Overall Length..... 340mm
 Air Pressure..... 90psi
 Air Consumption..... 5.5 cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Rear Exhaust

Features

- ✓ Precision Machined Bevel Gear for Smooth Transmission 、 Reduced Noise Level and Prolonged tool life.
- ✓ Jumbo Hammer Mechanism for Low Recoil Operation 、 High Instant Torque Output.
- ✓ Precision Machined Motor for Air Seal on Body Housing and Strong Powerful Output.
- ✓ Two Forward speeds and One Reverse speed for Single hand operation.
- ✓ Composite handle with ergonomic design use minimize fatigue.
- ✓ Rear exhaust with Muffler.



Square Drive could change to be 3/8" (ARX-676)

ARX-22/500
3/4"Dr. Air Impact Wrench

Square Drive..... 3/4"
 Hose Size..... 3/8"
 Mechanism..... Rocking Dog
 Free Speed..... 4,800R.P.M.
 Max. Torque 600 ft-lb (814 Nm)
 Bolt Capacity..... 25.4mm
 Net Weight. 4.9kg
 Overall Length..... 243mm
 Sound Pressure..... 95dBA
 Air Pressure..... 90psi
 Air Consumption..... 7.2 cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Front Exhaust


ARX-27A
3/4"Dr. Heavy Duty Air Impact Wrench

Square Drive..... 3/4"
 Hose Size..... 3/8"
 Mechanism..... Pin Clutch
 Free Speed..... 4,800R.P.M.
 Max. Torque 800 ft-lb (1,084 Nm)
 Net Weight. 4.9kg
 Bolt Capacity..... 27mm
 Overall Length..... 247mm
 Sound Pressure..... 92dBA
 Air Pressure..... 90psi
 Air Consumption..... 7.2 cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Handle Exhaust



ARX-27AK
**3/4"Dr. Heavy Duty Air Impact Wrench
Kit**

Square Drive.....3/4"
 Hose Size..... 3/8"
 Mechanism..... Pin Clutch
 Free Speed..... 4,800R.P.M.
 Max.Torque..... 800ft-lbs (1,084Nm)
 Sound Pressure..... 92dBA
 Net Weight..... 4.9kg
 Overall Length..... 247mm
 Bolt Capacity..... 27mm
 Air Pressure..... 90psi
 Air Consumption..... 7.2cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Handle Exhaust
 Socket Size..... 26, 27, 29, 30, 32, 35, 36, 38 (mm)
 Accessory..... Mini Oiler*1pc
 Plug*1pc


ARX-1134
3/4"Dr. Super Duty Air Impact Wrench

Square Drive.....3/4"
 Hose Size..... 1/2"
 Mechanism..... New Twin Hammer
 Free Speed..... 5,500R.P.M.
 Working Torque..... 1,100 ft-lb (1,492 Nm)
 Max.Torque..... 1,600 ft-lb (2,170 Nm)
 Net Weight..... 5.6kg
 Hose Capacity..... 30mm
 Overall Length..... 220mm
 Air Pressure..... 90psi
 Air Consumption..... 9.5cfm
 Air Inlet..... 3/8"PT
 Air Exhaust..... Handle Exhaust


ARX-673
3/4"Composite Air Impact Wrench

Square Drive.....3/4"
 Mechanism..... Twin Hammer
 Free Speed..... 8,000R.P.M.
 Max.Torque..... 1,050 ft-lb (1,424 Nm)
 Net Weight..... 2.28kg
 Overall Length..... 174mm
 Air Pressure..... 90psi
 Air Consumption..... 5cfm
 Air Inlet..... 3/8"PT
 Air Exhaust..... Handle Exhaust

Features:

- ✓ One hand F/R swing style switch with extra low Forward torque setting
- ✓ Hammer cage support design for reduce vibration
- ✓ Two-step trigger mechanism for easy tool activating
- ✓ Three stage torque control knob



ARX-1400P
1"Dr. Air Impact Wrench

Square Drive.....	1"
Hose Size.....	1/2"
Mechanism.....	Rocking Dog
Free Speed.....	3,500R.P.M.
Max.Torque.....	1,400 ft-lb (1,898 Nm)
Sound Pressure.....	96dBA
Net Weight.....	9.6kg
Overall Length.....	300mm
Bolt Capacity.....	38mm
Air Pressure.....	90psi
Air Consumption.....	11cfm
Air Inlet.....	1/2"PT
Air Exhaust.....	Handle Exhaust


ARX-1500P
1"Dr. Super Duty Air Impact Wrench

Square Drive.....	1"
Hose Size.....	3/4"
Mechanism.....	New Twin Hammer
Free Speed.....	4,000R.P.M.
Max.Torque.....	1,500 ft-lb (2,033 Nm)
Net Weight.....	9.84kg
Overall Length.....	315mm
Air Pressure.....	90psi
Air Consumption.....	11cfm
Air Inlet.....	1/2"PT
Air Exhaust.....	Front Exhaust


ARX-1800P
1"Dr. Super Duty Air Impact Wrench

Square Drive.....	1"
Hose Size.....	1/2"
Mechanism.....	New Super Hammer
Free Speed.....	3,500R.P.M.
Max. Torque	1,800ft-lb (2,441 Nm)
Sound Pressure.....	96dBA
Net Weight.	9.6kg
Overall Length.....	300mm
Air Pressure.....	90psi
Air Consumption.....	11cfm
Air Inlet.....	1/2"PT
Air Exhaust.....	Handle Exhaust



ARX-2500P
1" Pistol Type Impact Wrench

Square Drive.....	1"
Mechanism.....	Twin Hammer
Free Speed.....	5,000R.P.M.
Max.Torque.....	2,507 ft-lb (3,400 Nm)
Net Weight.....	7.1kg
Overall Length.....	275mm
Air Consumption.....	9cfm
Air Inlet.....	1/2" PT or NPT


ARX-1600S/ ARX-1600S-8
1"Dr. Air Impact Wrench

Square Drive.....	1"
Hose Size.....	1/2"
Mechanism.....	Rocking Dog
Free Speed.....	3,500R.P.M.
Anvil Length.....	2" [8"]
Max. Torque....	1600 ft-lb (2,170 Nm)
Net Weight.	10.5kg [11kg]
Overall Length.....	378mm [530mm]
Bolt Capacity.....	41mm
Sound Pressure.....	95dBA
Air Pressure.....	90psi
Air Consumption.....	11cfm
Air Inlet.....	1/2"PT
Air Exhaust.....	Front Exhaust

ARX-1600S

ARX-1600S-8

ARX-2000S / ARX-2000S-8
1"Dr. Air Impact Wrench

Square Drive.....	1"
Hose Size.....	3/4"
Mechanism.....	New Twin Hammer
Free Speed.....	,3,000R.P.M.
Anvil Length.....	2" [8"]
Max. Torque....	2,000 ft-lb (2,712 Nm)
Net Weight.....	15kg [16.5kg]
Overall Length.....	427mm [579mm]
Bolt Capacity.....	40mm
Air Pressure.....	90psi
Air Consumption.....	13.2cfm
Air Inlet.....	1/2"PT
Air Exhaust.....	Side Exhaust

ARX-2000S

ARX-2000S-8

Options for purchasing

- ✓ Outside or inside trigger.
- ✓ Straight or angle air inlet.

ARX-2500**1" Straight Type Impact Wrench**

Square Drive..... 1"
Mechanism..... Twin Hammer
Free Speed..... 5,000R.P.M.
Max. Torque..... 2,507 ft-lb (3,400 Nm)
Net Weight 8.1kg
Overall Length..... 487mm
Air Consumption..... 9cfm
Air Inlet..... 1/2" PT or NPT

**ARX-3000****1-1/2" AIR IMPACT WRENCH**

Square Drive..... 1-1/2"
Hose Size..... 3/4"
Mechanism..... Short Anvil
Free Speed..... 2,600R.P.M.
Max. Torque..... 3000 ft-lb (4,068 Nm)
Net Weight 15.8kg
Overall Length..... 475mm
Sound Pressure..... 97dBA
Air Pressure..... 14-16psi
Air Consumption..... 18cfm
Air Inlet..... 1/2"PT



ARX-MM382


3/8" Mini Air Ratchet Wrench

Square Drive.....	3/8"
Free Speed.....	260R.P.M.
Max. Torque.....	20 ft-lb (27 Nm)
Net Weight	0.4kg
Overall Length.....	120mm
Air Pressure.....	.90psi
Air Consumption.....	.4cfm
Air Inlet.....	1/4"PT

with **ARX-10BIT 10BIT 1/4" 10pcs**

Features

- ✓ Stubby ratchet wrench for easy and convenient operation.
- ✓ Ideal tool for the confined working areas.
- ✓ Suitable for dismantling, assembling, and maintaining the component of planes, ship, automobiles, machineries, etc.
- ✓ Handle exhaust system.



Accessory of ARX-MM382:

ARX-10BIT

10BIT 1/4" 10pcs

Hex Shank Philips 25mmL.....	#1, #2, #3
Hex Shank Slotted 25mmL.....	0.5*3.0, 0.6*4.0, 0.8*5.0
Hex Shank Tamper-Proof Torx 25mmL...	T-10, T-15, T-20, T-25



ARX-MM141 / ARX-MM381

1/4" Dr. Air Impact Wrench [ARX-MM141]

3/8" Dr. Air Impact Wrench [ARX-MM381]

Square Drive.....	1/4" [3/8"]
Bolt Capacity.....	5/16" [3/8"]
Free Speed.....	260R.P.M.
Max. Torque.....	20 ft-lb (27 Nm)
Net Weight.....	0.4kg
Overall Length.....	120mm
Air Pressure.....	.90psi
Air Consumption.....	.4cfm
Air Inlet.....	1/4"PT
Air Exhaust.....	Front Exhaust



ARX-14/ ARX-38
1/4" Mini Ratchet Wrench
[ARX-14]
3/8" Mini Ratchet Wrench
[ARX-38]

Square Drive..... 1/4" [3/8"]
 Free Speed..... 260R.P.M.
 Hose Size..... 1/4"
 Max. Torque..... 20 ft-lb (27 Nm)
 Net Weight 0.4kg
 Overall Length..... 165mm
 Air Pressure..... 90psi
 Air Consumption..... 2.5cfm
 Air Inlet..... 1/4"PT

ARX-14

ARX-38

ARX-142D /ARX-382D
1/4"Air Stubby Ratchet
Wrench [ARX-142D]
3/8"Air Stubby Ratchet
Wrench [ARX-382D]

Square Drive..... 1/4" [3/8"]
 Mechanism..... 3 Gears Planetary
 Free Speed..... 250R.P.M.
 Max. Torque..... 30 ft-lb (41 Nm)
 Net Weight..... 0.75kg
 Overall Length..... 215mm
 Air Pressure..... 90psi
 Air Consumption..... 3.6cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... 360° Swivel Exhaust

Features

- ✓ Bridge head design for much greater ratchet housing durability and integrity.
- ✓ Twin pawls design for longer gear life.
- ✓ Four position speed regulation in rear.
- ✓ 360° adjustable exhaust directs air away from the user.


Bridge head

Twin pawls

ARX-1047 / ARX-1037
1/4" Mini Air Ratchet
[ARX-1037]
3/8" Mini Air Ratchet
[ARX-1047]

Square Drive..... 1/4" [3/8"]
 Mechanism....Ball and Needle Bearing
 Free Speed..... 230R.P.M.
 Minimum Hose Size.... 10mm (3/8" in)
 Max. Torque..... 30 ft-lb (40 Nm)
 Net Weight..... 0.5kg
 Overall Length..... 165mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT

Features

- ✓ Compact and lightweight
- ✓ Bull-in regulator
- ✓ Ball and Needle Bearing Construction



ARX-31 / ARX-32
3/8" Air Ratchet Wrench [ARX-31]
1/2" Air Ratchet Wrench [ARX-32]

Square Drive.....	3/8" [1/2"]
Mechanism.....	Planetary Gears
Free Speed.....	150R.P.M.
Max. Torque.....	55 ft-lb (74.57Nm)
Net Weight.....	1.17kg
Overall Length.....	227mm
Air Pressure.....	90psi
Air Consumption.....	6cfm
Air Inlet.....	1/4"PT
Air Exhaust.....	Front Exhaust


ARX-33 / ARX-34
3/8" Heavy Duty Air Ratchet Wrench [ARX-33]
1/2" Heavy Duty Air Ratchet Wrench [ARX-34]

Square Drive.....	3/8" [1/2"]
Mechanism.....	Full Cage Gear
Free Speed.....	160R.P.M.
Max. Torque.....	60 ft-lb (80 Nm)
Net Weight.....	1.2kg
Overall Length.....	254mm
Air Pressure.....	90psi
Air Consumption.....	9.5cfm
Air Inlet.....	1/4"PT


ARX-41 / ARX-42
3/8" Air Ratchet Wrench [ARX-41]
1/2" Air Ratchet Wrench [ARX-42]

Square Drive.....	3/8" [1/2"]
Free Speed.....	175R.P.M.
Hose Size.....	3/8"
Max. Torque.....	50 ft-lb (67.80 Nm)
Net Weight.....	1.2kg
Overall Length.....	265mm
Air Consumption.....	3.5cfm
Air Inlet.....	1/4"PT



ARX-322D
1/2"Dr. Air Ratchet Wrench
[ARX-322D]

Square Drive..... 1/2"
 Mechanism..... 3 Gears Planetary
 Free Speed..... 170R.P.M.
 Max. Torque..... 60 ft-lb (81.35 Nm)
 Net Weight. 1.2kg
 Overall Length..... 275mm
 Air Pressure..... 90psi
 Air Consumption..... 3.9cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... 360° Swivel Exhaust

Features

- ✓ Bridge head design for much greater ratchet housing durability and integrity.
- ✓ Twin pawls design for longer gear life.
- ✓ Four position speed regulation in rear.
- ✓ 360 adjustable exhaust directs air away from the user.
- ✓ Enlarged forward and reverse switch.
- ✓ Comfort rubber grip.


Bridge head

Twin pawls
ARX-3219
1/2"Dr. Super Duty Air
Ratchet Wrench [ARX-3219]

Square Drive..... 1/2"
 Mechanism..... Jumbo Hammer
 Free Speed..... 500R.P.M.
 Max. Torque..... 120 ft-lb (162.7 Nm)
 Net Weight..... 1.76kg
 Overall Length..... 345mm
 Air Pressure..... 90psi
 Air Consumption..... 4.2cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Side Exhaust
 360° Swivel Exhaust

Features

- ✓ Jumbo hammer mechanism for low recoil operation and high instant torque output.
- ✓ Head-sealed design for much greater ratchet housing durability and integrity.
- ✓ Twin pawls design for longer gear life.
- ✓ 360° adjustable exhaust directs air away from the user.
- ✓ Enlarged forward and reverse s
- ✓ Ergonomically composite handle grip designed with operator comfort in mind.



ARX-833L
2" Heavy Duty Air Right Angle Grinder

Disc Size.....2"
 Free Speed.....22,000 R.P.M.
 Minimum Hose Size.....3/8"
 Spindle Size....M6x1.0P W/ 9.5 mm O.D
 Sound Pressure.....85dBA
 Net Weight.0.53kg
 Overall Length140mm
 Motor Power.....0.25HP
 Air Pressure.....90psi
 Air Consumption.....2.5cfm
 Air Exhaust.....Side Exhaust
 Air Inlet.....1/4"PT

Features:

- ✓ Ultra compact and lightweight design.
- ✓ Insulated handle for operator convenience and comfort.
- ✓ Side exhaust with silencer for quiet and clear operation.
- ✓ Safety Lever to prevent accidental start ups.
- ✓ Alloy Cylinder for long-term working not powder metal.


ARX-ST804
4" Heavy Duty Air Angle Grinder

Disc Size.....4"
 Free Speed.....10,000 R.P.M.
 Minimum Hose Size.....3/8"
 Spindle Size.....M10x1.5
 Net Weight.1.4kg
 Overall Length.....244mm
 Motor Power.....1.2HP
 Air Pressure.....90psi
 Air Consumption.....3.5cfm
 Air Exhaust.....Swivel Side Exhaust
 Air Inlet.....1/4"PT

Features:

- ✓ Ergonomic grip handle: textured rubber grip handle maintains a comfortable temperature in the hand and insulates against.
- ✓ Swivel Side Exhaust.


ARX-832L
4" Heavy Duty Air Angle Grinder

Disc Size.....4"
 Free Speed.....12,000 R.P.M.
 Minimum Hose Size.....3/8"
 Spindle Size.....3/8"-24 unf.
 Sound Pressure.....85dBA
 Net Weight.1.69kg
 Overall Length.....226mm
 Air Pressure.....90psi
 Air Consumption.....15cfm
 Air Inlet.....1/4"PT
 Vibration.....<2.5 m/s²

Features:

- ✓ Designed as lightweight powerful tool for tough, tight, quarter cleaning jobs that require fast metal removal.
- ✓ Aluminum alloy housing for lightweight and operator comfort.
- ✓ Spiral bevel gearing in angle head provides extended angle head life and smooth low vibration.
- ✓ Heavy duty ball bearing construction for vibration free performance.
- ✓ Available in 5" dia. disc size.
- ✓ The design of cutting off air prevents overloaded air pressure.



ARX-832R**4" Heavy Duty Air Angle Grinder**

Disc Size..... 4"
 Free Speed..... 12,000 R.P.M.
 Minimum Hose Size..... 3/8"
 Spindle Size..... 3/8"-24, M10
 Hose Size..... 8mm
 Sound Pressure..... 86dBA
 Net Weight 1.54kg
 Overall Length 227mm
 Air Pressure..... 90psi
 Air Consumption..... 15cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s

Features:

- ✓ Designed as lightweight powerful tool for tough, tight, quarter cleaning jobs that require fast metal removal.
- ✓ Aluminum alloy housing for lightweight and operator comfort.
- ✓ Spiral bevel gearing in angle head provides extended angle head life and smooth low vibration.
- ✓ Throttle is roll type, it is easy to change speed during operation.

**ARX-836LN****4" Super Duty Low Noise Air Angle Grinder**

Disc Size..... 4"
 Free Speed..... 13,500R.P.M.
 Spindle Size..... M8x1.25, M10x1.5,
 M14x2.0, 3/8"x 24 UNF
 Flange of Central Hole..... 22mm
 Horse Power..... 1.2HP
 Sound Pressure..... 91.17dBA
 Net Weight 2.02kg
 Overall Length..... 270mm
 Air Pressure..... 85psi
 Air Consumption..... 5cfm
 Air Inlet..... 3/8"PT
 Air Exhaust..... Front Exhaust

Features:

- ✓ Push-pin-locking trigger to prevent accidental start ups.
- ✓ Precise bevel gear with particula treatment increases durability an tool life.
- ✓ Cylinder with heat treatment and inside surface finish increase tool life and smooth operation.
- ✓ The auxiliary handle provides more precision and comfortable control.
- ✓ Magnesium-Aluminum Alloy Ho

INDUSTRIAL

**ARX-854S****4" Industrial Angle Grinder**

Disc Size..... 4"
 Free Speed..... 12,000R.P.M.
 Spindle Size..... 3/8"x24 UNF
 Horse Power..... 1.1HP
 Sound Pressure..... 90dBA
 Net Weight 2kg
 Overall Length..... 240mm
 Air Pressure..... 85psi
 Air Consumption..... 3cfm
 Air Inlet..... 3/8"PT
 Vibration..... 2.5m/s²
 Air Exhaust..... Rear Exhaust

Features:

- ✓ 9 Position Adjustable Swivel Guard.
- ✓ With Speed Governor.
- ✓ Accept 0.8mm~ 6mm Disc.
- ✓ Built-in Comfort Grip.
- ✓ Side Handle.
- ✓ Vibration Reduced Handle (Optional).

INDUSTRIAL



ARX-854
4" Industrial Angle Grinder

Disc Size..... 4"
 Free Speed..... 12,000R.P.M.
 Spindle Size..... 3/8" x24 UNF
 Horse Power..... 1.1HP
 Sound Pressure..... 90dBA
 Net Weight. 2kg
 Overall Length..... 240mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 3/8"PT
 Vibration..... <2.5m/s²
 Air Exhaust..... Rear Exhaust

Features:

- ✓ With Speed Governor.
- ✓ Accept 0.8mm ~ 6mm Disc.
- ✓ Built-in Comfort Grip.

INDUSTRIAL

ARX-835L / ARX-835L-I
5" Heavy Duty Air Angle Grinder [ARX-835L]/ [ARX-835L-I]

Disc Size..... 5"
 Hose size..... 3/8"
 Free Speed..... 10,000R.P.M
 Max Speed..... 11,000R.P.M
 Motor Power..... 0.6HP
 Spindle Thread..... M14 x 2.0 P
 5/8"-11UNF
 Sound Pressure..... 88dBA
 Net Weight. 1.79kg
 Overall Length..... 257mm
 Air Pressure..... 90psi
 Air Consumption..... 15cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²

Features:

- ✓ Designed as lightweight powerful tool for tough, tight, quarter cleaning jobs that require fast metal removal.
- ✓ Swivel Side Exhaust.
- ✓ Aluminum alloy housing for lightweight and operator comfort.
- ✓ Spiral bevel gearing in angle head provides extended angle head life and smooth low vibration.
- ✓ Heavy duty ball bearing construction for vibration free performance.


ARX-832L-5I
5" Heavy Duty Air Angle Grinder

Disc Size..... 5"
 Free Speed..... 11,000R.P.M.
 Spindle Size..... 5/8"x11unf or M14
 Horse Power..... 0.6HP
 Sound Pressure..... 93dBA
 Net Weight. 1.82kg
 Overall Length..... 226mm
 Air Pressure..... 90psi
 Air Consumption..... 15cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²

Features:

- ✓ Over Speed Control Governor (Patented)The design of cutting off air prevents overloaded air pressure. It efficiently remain free speeds in standard RPM.
- ✓ Designed as lightweight powerful tool for tough, tight, quarter cleaning jobs that require fast metal removal..
- ✓ Aluminum alloy housing for lightweight and operator comf



ARX-855
5" Industrial Angle Grinder

Wheel.....	5"
Free Speed.....	12,000R.P.M.
Motor Power.....	1.2HP
Net Weight.....	2.1kg
Overall Length.....	296mm
Air Pressure.....	90psi
Air Consumption.....	4.7cfm
Air Inlet.....	3/8"PT
Vibration.....	<2.5m/s ²
Air Exhaust.....	Front Exhaust


ARX-837LN
7" Super Duty Low Noise Air Angle Grinder

Disc Size.....	7"
Free Speed.....	7,000R.P.M.
Spindle Size....	5/8"×11unf or 1/2"×16unf
Flange of Central Hole.....	22mm
Horse Power.....	1.3HP
Sound Pressure.....	83dBA
Net Weight	2.54kg
Overall Length.....	272mm
Air Pressure.....	90psi
Air Consumption.....	5cfm
Air Inlet.....	3/8"PT
Air Exhaust.....	Side Exhaust

Features:

- ✓ Magnesium-aluminum alloy housing with light weight & strong body.
- ✓ Precise bevel gear with particular treatment increases durability and tool life.
- ✓ Cylinder with heat treatment and inside surface finish increase tool life and smooth operation.
- ✓ The auxiliary handle provides more precision and comfortable control.
- ✓ Magnesium-Aluminum Alloy Housing


ARX-831L
7" Heavy Duty Air Angle Grinder

Disc Size.....	7"
Spindle Thread....	5/8"-11UNF or M14
Max Speed.....	7,000R.P.M.
Sound Pressure.....	93dBA
Net Weight	3.05kg
Overall Length.....	331mm
Air Pressure.....	90psi
Air Consumption.....	3.94cfm
Air Inlet.....	3/8"PT
Vibration.....	3.2m/s ²

Features:

- ✓ The design of cutting off air prevents overloaded air pressure.
- ✓ It efficiently remains free speeds in standard RPM.
- ✓ Designed as lightweight power tool for tough, tight, quarter cleaning jobs that require fast metal removal.
- ✓ Aluminum alloy housing for lightweight and operator comfort.
- ✓ Spiral bevel gearing in angle head provides extended angle head life and smooth low vibration.


Safety Lever Type

ARX-847
7" Industrial Angle Grinder

Wheel..... 7"
 Spindle Thread..... 5/8" x 11unc.
 Max Speed..... 7,600R.P.M.
 Hose Power..... 1.6HP
 Net Weight..... 3kg
 Overall Length..... 300mm
 Air Pressure..... 90psi
 Air Inlet..... 3/8"PT


INDUSTRIAL
ARX-857
7" Industrial Angle Grinder

Disc Size..... 7"
 Free Speed..... 8,400R.P.M.
 Horse Power..... 2.2HP
 Net Weight..... 3kg
 Overall Length..... 323mm
 Air Pressure..... 90psi
 Air Consumption..... 6.9cfm
 Air Inlet..... 3/8"PT
 Vibration..... <2.5m/s
 Air Exhaust..... Side Exhaust


INDUSTRIAL
ARX-839LN
9" Super Duty Level Type Air Angle Grinder

Wheel..... 9"
 Spindle Thread..... 1/2" x 16unf.
 Max Speed..... 5,900R.P.M.
 Flange of Central Hole..... 22mm
 Hose Power..... 2.5HP
 Net Weight..... 4.4kg
 Overall Length..... 350mm
 Air Pressure..... 90psi
 Air Consumption..... 6cfm
 Air Inlet..... 1/2"PT
 Air Exhaust..... Front Exhaust


INDUSTRIAL
Features

- ✓ Magnesium-aluminum alloy housing with light weight & strong body.

ARX-919**7" Heavy Duty Air Vertical Grinder**

Disc Size.....	7"
Hose size.....	13mm
Free Speed.....	7,000R.P.M.
Spindle Thread.....	5/8" x 11unf.
Sound Pressure.....	84dBA
Net Weight.....	4.2kg
Overall Length.....	340mm
Air Pressure.....	90psi
Air Consumption.....	16cfm
Air Inlet.....	1/2"PT
Vibration.....	3.3m/s ²

Features:

- ✓ This gear-less vertical grinder offer powerful and trouble free operation.
- ✓ It is governed for heavy-duty grinding work.
- ✓ It can handle grinding wheel and wire brushes.
- ✓ It is also features high force corrosion-resistant governor, unitized motor design, hardened steel end plates and liner.
- ✓ Hardened steel motor parts for excellent wear resistance.

**ARX-915****9" Heavy Duty Air Vertical Grinder**

Disc Size.....	9"
Hose size.....	13mm
Max Speed.....	6,000R.P.M.
Spindle Thread.....	5/8" x 11unf.
Sound Pressure.....	96dBA
Net Weight.....	4.12kg
Overall Length.....	340mm
Air Pressure.....	90psi
Air Consumption.....	16cfm
Air Inlet.....	1/2"PT
Vibration.....	3.3m/s ²

Features:

- ✓ This gear-less vertical grinder offer powerful and trouble free operation.
- ✓ It is governed for heavy-duty grinding work.
- ✓ It can handle grinding wheel and wire brushes.
- ✓ It is also features high force corrosion-resistant governor, unitized motor design, hardened steel end plates and liner.
- ✓ Hardened steel motor parts for excellent wear resistance.

**ARX-918****9" Heavy Duty Air Vertical Grinder**

Disc Size.....	9"
Hose size.....	13mm
Free Speed.....	5,600R.P.M.
Spindle Thread.....	5/8" x 11unf.
Sound Pressure.....	95dBA
Net Weight.....	4.97kg
Overall Length.....	355mm
Air Pressure.....	90psi
Air Consumption.....	26cfm
Air Inlet.....	1/2"PT
Vibration.....	3.8m/s ²

Features:

- ✓ This gear-less vertical grinder offer powerful and trouble free operation.
- ✓ It is governed for heavy-duty grinding work.
- ✓ It can handle grinding wheel and wire brushes.
- ✓ It is also features high force corrosion-resistant governor, unitized motor design, hardened steel end plates and liner.
- ✓ Hardened steel motor parts for excellent wear resistance.



ARX-920**6" Heavy Duty Air Straight Grinder**

Disc Size..... 6"
Spindle Thread..... 1/2" x 14unf.
Max Speed..... 5,700R.P.M.
Sound Pressure..... 88dBA
Hose Size..... 9.5mm
Net Weight 5.16kg
Overall Length..... 500mm
Air Pressure..... 90psi
Air Consumption..... 8cfm
Air Inlet..... 1/2"PT
Vibration..... <2.5m/s²

**Grip Type****ARX-834LN****Industry 2" Air Angle Grinder&Sander**

Disc Size..... 2"
Spindle Thread..... 1/4" x 28unf.
Free Speed..... 15,000R.P.M.
Hose Size..... 0.4HP
Net Weight 0.76kg
Overall Length..... 168mm
Air Inlet..... 1/2"PT



ARX-227
90 Degree Air Angle Sander/ Polisher

Spindle Thread.....5/16"-24unf.
 Min Hose Size.....3/8"
 Free Speed.....4,000R.P.M
 Overall Length.....200mm
 Net Weight.....1kg
 Air Pressure.....90psi
 Air Consumption.....3.5cfm
 Air Inlet.....1/4"PT


ARX-227K
90 Degree Air Angle Sander/ Polisher Kit

Spindle Thread.....5/16"-24unf.
 Min Hose Size.....3/8"
 Free Speed.....4,000R.P.M.
 Net Weight.....1kg
 Overall Length.....200mm
 Air Pressure.....90psi
 Air Consumption.....3.5cfm
 Air Inlet.....1/4"PT
 Accessory.....
 3" Pad Yellow(Hook-up)
 3" Wool Wheel
 3" Roloc Pad
 3.5" Fine Gray Polishing Pad
 3.5" Coarse Yellow Polishing Pad
 5" Pad Yellow(Hook-up)
 5" Wool Wheel
 5.5" Coarse Yellow Polishing Pad
 5.5" Fine Gray Polishing Pad


ARX-231AK
90 Degree Air Angle Sander/ Polisher Kit

Wheel.....2"
 Min Hose Size.....3/8"
 Spindle Thread.....5/16"-24unf.
 Free Speed.....15,000R.P.M
 Net Weight.....1.5kg
 Overall Length.....200mm
 Air Pressure.....90psi
 Air Consumption.....3.5cfm
 Air Inlet.....1/4"PT
 Accessory.....
 5pcs 2" Roloc Scotch Disc
 5pcs 3" Roloc Scotch Disc
 1pc Adapter
 1pc Spanner
 1pc 2" Roloc Pad
 1pc 3" Roloc Pad
 1pc Blow Molded Case
 1pc Nipple



ARX-AS601
97 Degree Angle Air Sander

Pad Size..... 3"
 Spindle Thread..... 1/4"-20unc.
 Free Speed..... 15,000R.PM
 Net Weight 0.7kg
 Overall Length..... 180mm
 Sound Pressure..... 81dBA
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT


ARX-AS602
97 Degree Angle Air Orbital Sander

Sanding Pad..... 3"
 Spindle Size..... 6 x 1.0mm
 Orbital Dia..... 1.5mm
 Free Speed..... 13,000R.P.M
 Net Weight..... 0.65kg
 Overall Length..... 180mm
 Sound Pressure..... 81dBA
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT


ARX-AS601K
2"& 3" 97° Angle Air Sander Kit

Pad Size..... 2" & 3"
 Spindle Thread..... 1/4"-20unc.
 Free Speed..... 15,000R.P.M.
 Net Weight 0.7kg
 Overall Length..... 180mm
 Air Inlet..... 1/4"PT
 Accessory.....
 - 2pcs Rubber Backing Pad
 - 2pcs #80 Rollock Conditioning Disc
 - 4pcs #150 Rollock Conditioning Disc
 - 4pcs #300 Rollock Conditioning Disc
 - 2pcs Rollock Black Stripping Disc
 - 1pc Blow Case
 - 1pc Spanner



ARX-SC30
3" Air Surface Preparation Sander

Pad Dia..... 3"
 Spindle Size..... 1/4"-20unc.
 Free Speed..... 16,000R.P.M.
 Orbit Diameter..... 4.2mm
 Net Weight..... 0.7kg
 Overall Length..... 125mm
 Air Inlet..... 1/4"PT


ARX-SC30K
3" Air Surface Preparation Sander Kit

Pad Dia..... 3"
 Spindle Size..... 1/4"-20unc.
 Free Speed..... 16,000R.P.M.
 Orbit Diameter..... 4.2mm
 Net Weight..... 0.7kg
 Overall Length..... 125mm
 Air Inlet..... 1/4"PT
 Accessory.....
 3pc 3" #80, #150, #300
 Rolloc Type Conditioning Disc
 1Pc Spanner Wrench
 1Pc 2" Backing Pad
 1Pc 3" Backing Pad


ARX-GS30
3" Air Composite Random Orbital Sander

Pad Dia 3"
 Spindle Size..... 5/16"-24unf. * 7.5mm up
 Free Speed..... 15,000R.P.M
 Orbit Diameter..... 3mm
 Net Weight..... 0.72kg
 Overall Length..... 125mm
 Air Pressure..... 90psi
 Air Inlet..... 1/4"PT



ARX-GL30
3" Air Polisher

Pad Dia 3"
 Spindle Thread Size..... 5/16"-24unf.
 Free Speed..... 2,100R.P.M.
 Net Weight. 0.8kg
 Overall Length..... 135mm
 Air Pressure..... 90psi
 Air Inlet.....1/4"PT


ARX-1105DS
0.4HP Composite Detail Sander

Wheel Dia..... 1.5mm
 Pad Dia..... 30mm
 Free Speed..... 7,500R.P.M.
 Motor Power..... 0.4HP
 Net Weight..... 0.65kg
 Overall Length..... 198mm
 Air Pressure..... 90psi
 Air Consumption..... 1cfm
 Air Inlet..... 1/4"PT


ARX-OB3-N3

3" Non-Vacuum Random Orbital Sander
 Pad Dia..... 3"
 Min Hose Size..... 3/8"
 Free Speed..... 11,000R.P.M.
 Orbit Diameter..... 2.5mm
 Sound Pressure..... 80dBA
 Net Weight..... 0.8kg
 Air Pressure..... 90psi
 Air Consumption..... 1.6cfm
 Air Inlet..... 1/4"PT
 Vibration..... 0.8m/s²



ARX-OB3-N5 / ARX-OB3-N6
5" Non Vacuum Random Orbital
Sander [ARX-OB3-N5]
6" Non Vacuum Random Orbital
Sander [ARX-OB3-N6]

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	2.5mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²


ARX-OB3-C5/ ARX-OB3-C6
5"Dust Free Central Vacuum Random Orbital Sander [ARX-OB3-C5]
6"Dust Free Central Vacuum Random Orbital Sander [ARX-OB3-C6]

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	2.5mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²


ARX-OB3-S5 / ARX-OB3-S6
5"Dust Free Self-Vacuum Random Orbital Sander [ARX-OB3-S5]
6"Dust Free Self-Vacuum Random Orbital Sander [ARX-OB3-S6]

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	2.5mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²



ARX-OB5-N5 / ARX-OB5-N6**5"Non-Vacuum Random Orbital Sander****[ARX-OB5-N5]****6"Non-Vacuum Random Orbital Sander****[ARX-OB5-N6]**

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	5mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²

**ARX-OB5-C5 / ARX-OB5-C6****5" Dust Free Central Vacuum Random Orbital Sander [ARX-OB5-C5]****6" Dust Free Central Vacuum Random Orbital Sander [ARX-OB5-C6]**

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	5mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²

**ARX-OB5-S5 / ARX-OB5-S6****5"Dust Free Self-Vacuum Random Orbital Sander [ARX-OB5-S5]****6"Dust Free Self-Vacuum Random Orbital Sander [ARX-OB5-S6]**

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed	11,000R.P.M.
Orbit Diameter.....	2.5mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²



ARX-OB9-N5 / ARX-OB9-N6**5"Non-Vacuum Random Orbital Sander****[ARX-OB9-N5]****6"Non-Vacuum Random Orbital Sander****[ARX-OB9-N6]**

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	10mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²

**ARX-OB9-C5/ ARX-OB9-C6****5"Dust Free Central Vacuum Random Orbital Sander [ARX-OB9-C5]****6"Dust Free Central Vacuum Random Orbital Sander [ARX-OB9-C6]**

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	10mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²

**ARX-OB9-S5 / ARX-OB9-S6****5"Dust Free Self-Vacuum Random Orbital Sander [ARX-OB9-S5]****6"Dust Free Self-Vacuum Random Orbital Sander [ARX-OB9-S6]**

Pad Dia.....	5" (6")
Min Hose Size.....	3/8"
Free Speed.....	11,000R.P.M.
Orbit Diameter.....	10mm
Sound Pressure.....	80dBA
Net Weight.....	0.9kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	0.8m/s ²



ARX-AE3-C6
6" Central Vacuum Gear-Driven Sander

Pad Dia.....6"
 Min Hose Size..... 3/8"
 Free Speed..... 11,000R.P.M.
 Orbit Diameter..... 2.5mm
 Sound Pressure..... 80dBA
 Net Weight..... 0.9kg
 Air Pressure..... 90psi
 Air Consumption..... 1.6cfm
 Air Inlet.....1/4"PT
 Vibration..... 0.8m/s²


ARX-301
5" Rotary Orbital Sander

Pad Dia.....5"
 Min Hose Size..... 3/8"
 Free Speed..... 10,000R.P.M.
 Orbit Diameter..... 5mm
 Sound Pressure..... 83dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 12cfm
 Air Inlet.....1/4"PT


ARX-301D
5" Rotary Orbital Sander

Pad Dia.....5"
 Min Hose Size..... 3/8"
 Free Speed..... 10,000R.P.M.
 Orbit Diameter..... 5mm
 Sound Pressure..... 83dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 12cfm
 Air Inlet.....1/4"PT



ARX-608
5" High Speed Sander

Wheel.....5"
 Min Hose Size.....3/8"
 Free Speed.....16,000R.P.M.
 Spindle Thread.....5/8"-11unf
 Net Weight.....0.9kg
 Overall Length.....150mm
 Air Pressure.....90psi
 Air Consumption.....5cfm
 Air Inlet.....1/4"PT


ARX-GD51
5" Non Vacuum Gear-Driven Sander

Pad Dia.....5"
 Min Hose Size.....3/8"
 Free Speed.....1,000R.P.M.
 Orbit Diameter.....4.2mm
 Sound Pressure.....80dBA
 Net Weight.....1.2kg
 Air Pressure.....90psi
 Air Consumption.....1.6cfm
 Air Inlet.....1/4"PT
 Vibration.....< 2.5m/s²


ARX-GD51C
5" Central Vacuum Gear-Driven Sander

Pad Dia.....5"
 Min Hose Size.....3/8"
 Free Speed.....1,000R.P.M.
 Orbit Diameter.....4.2mm
 Sound Pressure.....80dBA
 Net Weight.....1.2kg
 Air Pressure.....90psi
 Air Consumption.....1.6cfm
 Air Inlet.....1/4"PT
 Vibration.....< 2.5m/s²



ARX-GD51S
5" Self Vacuum Gear-Driven Sander

Pad Dia..... 5"
 Min Hose Size..... 3/8"
 Free Speed..... 1,000R.P.M.
 Orbit Diameter..... 4.2mm
 Sound Pressure..... 80dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 1.6cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²


ARX-GD61
6" Non Vacuum Gear-Driven Sander

Pad Dia..... 5"
 Air Hose..... 3/8"
 Free Speed..... 1,000R.P.M.
 Orbit Diameter..... 4.2mm
 Sound Pressure..... 80dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 1.6cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²


ARX-GD61C
6" Central Vacuum Gear-Driven Sander

Pad Dia..... 6"
 Air Hose..... 3/8"
 Free Speed..... 1,000R.P.M.
 Orbit Diameter..... 4.2mm
 Sound Pressure..... 80dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 1.6cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²



ARX-GD61S
6" Self Vacuum Gear-Driven Sander

Pad Dia.....	6"
Air Hose.....	3/8"
Free Speed.....	1,000R.P.M.
Sound Pressure.....	80dBA
Net Weight.....	1.2kg
Air Pressure.....	90psi
Air Consumption.....	1.6cfm
Air Inlet.....	1/4"PT
Vibration.....	<2.5m/s ²


ARX-466N
6" Dual Action Sander

Pad Dia.....	6"
Min Hose Size.....	3/8"
Free Speed.....	10,000R.P.M.
Spindle Thread Size.....	5/16"-24unf
Net Weight.....	1.9kg
Air Pressure.....	90psi
Air Consumption.....	4cfm
Air Inlet.....	1/4"PT


ARX-GD52
5" Non-Vacuum 2-Hands Gear-Driven Sander

Pad Dia.....	5"
Min Hose Size.....	3/8"
Free Speed.....	900R.P.M.
Orbit Diameter.....	4.2mm
Sound Pressure.....	82dBA
Net Weight.....	1.5kg
Air Pressure.....	90psi
Air Consumption.....	3cfm
Air Inlet.....	1/4"PT
Vibration.....	<2.5m/s ²



ARX-GD8S
8" Self-Vacuum 2-Hand Random Sander

Pad Dia..... 8"
 Hose Size..... 3/8"
 Free Speed..... 900R.P.M.
 Orbit Diameter..... 4.2mm
 Sound Pressure..... 82dBA
 Net Weight..... 1.6kg
 Air Pressure..... 90psi
 Air Consumption..... 3.1cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²


ARX-829L
7" Air Angle Sander

Pad Dia..... 7"
 Hose Size..... 3/8"
 Spindle Thread..... 5/8"11unf,M14,M16
 Free Speed..... 4,500R.P.M.
 Sound Pressure..... 88dBA
 Net Weight..... 1.9kg
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT
 Vibration..... < 2.5m/s²


ARX-929L
8" Air Angle Sander

Pad Dia..... 8"
 Hose Size..... 3/8"
 Spindle Thread..... 5/8"11unf,M14,M16
 Free Speed..... 4,500R.P.M.
 Sound Pressure..... 86dBA
 Net Weight..... 2.0kg
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT
 Vibration..... < 2.5m/s²



ARX-830H**7" Air Angle Polisher [ARX-830H]**

Pad Dia.....7"
 Spindle Thread..... 5/8"-11unf. , M14,M16
 Hose Size..... 3/8"
 Free Speed..... 2,500R.P.M.
 Sound Pressure..... 87dBA
 Net Weight..... 1.9kg
 Overall Length..... 382mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet.....1/4"PT
 Vibration.....<2.5m/s²

**ARX-930H****8" Air Angle Polisher [ARX-830H]**

Pad Dia.....8"
 Spindle Thread..... 5/8"-11unf. , M14,M16
 Hose Size..... 3/8"
 Free Speed..... 2,500R.P.M.
 Sound Pressure..... 83dBA
 Net Weight..... 2.2kg
 Air Pressure..... 90psi
 Air Consumption..... 3.9cfm
 Air Inlet.....1/4"PT
 Vibration.....<2.5m/s²

**ARX-840H****7" Vertical Polisher [ARX-840H]**

Pad Dia.....7"
 Spindle Thread..... 5/8"-11unf. , M14,M16
 Hose Size..... 3/8"
 Free Speed.....3,200/2,500R.P.M.
 Sound Pressure..... 85dBA
 Net Weight..... 1.5kg
 Air Pressure..... 90psi
 Air Consumption.....3cfm
 Air Inlet.....1/4"PT
 Vibration.....<2.5m/s²



ARX-GD3
3" GEAR PALM SANDER

Pad Dia..... 3 "
 Hose Size..... 3/8"
 Free Speed..... 2,400R.P.M.
 Overall Length..... 120mm
 Net Weight..... 0.74kg
 Air Pressure..... 6.2bar
 Air Consumption..... 1.6cfm
 Air Inlet..... 1/4"PT


ARX-902
3" or 2" GEAR SANDER

Pad Dia..... 3"or2 " "
 Hose Size..... 3/8"
 Free Speed..... 2,300R.P.M.
 Overall Length..... 150mm
 Net Weight..... 0.9kg
 Air Pressure..... 6.2bar
 Air Consumption..... 5cfm
 Air Inlet..... 1/4"PT


ARX-903
3" or 2" Orbital Sander

Pad Dia..... 3"or2 " "
 Orbital..... 3mm
 Free Speed..... 1,600R.P.M.
 Overall Length..... 160mm
 Net Weight..... 0.88kg
 Air Pressure..... 6.2bar
 Air Consumption..... 5cfm
 Air Inlet..... 1/4"PT



ARX-302
Mini Orbital Sander

Pad Dia..... 3"x 6"
 Air Hose..... 3/8"
 Free Speed..... 8,000R.P.M.
 Orbit Diameter..... 5mm
 Sound Pressure..... 82dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 12cfm
 Air Inlet..... 1/4"PT


ARX-302D
Dust Free Mini Orbital Sander

Pad Dia..... 3" x 6"
 Min Hose Size..... 3/8"
 Free Speed..... 8,000R.P.M.
 Orbit Diameter..... 5mm
 Sound Pressure..... 82dBA
 Net Weight..... 1.2kg
 Air Pressure..... 90psi
 Air Consumption..... 12cfm
 Air Inlet..... 1/4"PT


ARX-467N
Air Jitterbug Sander

Pad Dia..... 92 x 171mm
 Min Hose Size..... 3/8"
 Free Speed 8,000R.P.M.
 Orbit Diameter..... 4.2mm
 Sound Pressure..... 80dBA
 Net Weight..... 1.97kg
 Air Pressure..... 90psi
 Air Consumption..... 5cfm
 Air Inlet..... 1/4"PT



ARX-420
Air Palm Sander

Pad Dia..... 75 x 82mm
 Paper Size..... 70 x 114mm
 Free Speed..... 15,000R.P.M.
 Orbit Diameter..... 1.2mm
 Sound Pressure..... 77dBA
 Net Weight..... 0.5kg
 Air Pressure..... 85psi
 Air Consumption..... 0.8cfm
 Air Inlet..... 1/4"PT


ARX-430
Air Palm Sander

Pad Dia..... 100 x 110mm
 Paper Size..... 100 x 140mm
 Free Speed..... 20,000 R.P.M.
 Orbit Diameter..... 1.6mm
 Sound Pressure..... 84dBA
 Net Weight..... 1.1kg
 Air Pressure..... 85psi
 Air Consumption..... 1cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²


ARX-468N
Dual Piston File Sander

Stroke Per Minute..... 2,500S.P.M
 Minimum Hose Size..... 3/8"
 Disc Capacity..... 63 x 407mm
 Stroke Length..... 25.4mm
 Overall Length..... 406mm
 Sound Pressure 93.3dBA
 Net Weight..... 3.1kg
 Air Pressure..... 90psi
 Air Consumption..... 8cfm
 Air Inlet..... 1/4"PT



ARX-3320
Air Tri-Sander

Pad Dia..... 70 x 100mm
 Min Hose Size..... 3/8"
 Free Speed..... 9,000R.P.M.
 Orbit Diameter..... 3mm
 Overall Length..... 163mm
 Sound Pressure..... 81dBA
 Net Weight..... 0.7kg
 Air Pressure..... 90psi
 Air Consumption..... 9.2cfm
 Air Inlet..... 1/4"PT


ARX-768
Vibro-Reduced Pneumatic Hammer

Free Speed..... 16,000R.P.M
 Sound Pressure..... 78dBA
 Overall Length..... 180mm
 Net Weight..... 0.78kg
 Air Pressure..... 90psi
 Air Consumption..... 1cfm
 Air Inlet..... 1/4"PT


ARX-123H
10mm Air Belt Sander

Belt Size..... 10 x 330mm
 Free Speed 18,000R.P.M.
 Overall Length..... 280mm
 Sound Pressure..... 85dBA
 Net Weight..... 0.8kg
 Air Pressure..... 90psi
 Air Consumption..... 2cfm
 Air Inlet..... 1/4"PT



ARX-126H
10mm Air Belt Sander

Belt Size..... 10 x 330mm
 Free Speed 16,000R.P.M.
 Overall Length..... 320mm
 Sound Pressure..... 85dBA
 Net Weight..... 0.95kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT

Features

- ✓ High Power motor
- ✓ Ergonomic rubber grip
- ✓ With Speed regulator


ARX-124H
12.7mm Air Belt Sander

Belt Size..... 12.7 x 610mm
 Free Speed..... 18,000R.P.M.
 Sound Pressure..... 85dBA
 Net Weight..... 0.8kg
 Overall Length..... 430mm
 Air Pressure..... 90psi
 Air Consumption..... 2cfm
 Air Inlet..... 1/4"PT


ARX-125H
20mm Air Belt Sander

Belt Size..... 20 x 520 mm
 Free Speed..... 18,000R.P.M.
 Sound Pressure..... 84dBA
 Net Weight. 1kg
 Overall Length..... 350mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT



ARX-127H
20mm Air Belt Sander

Belt Size..... 20 x 520 mm
 Free Speed..... 16,000R.P.M.
 Net Weight..... 1.4kg
 Overall Length..... 430mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT

Features

- ✓ High Power motor
- ✓ Ergonomic rubber grip
- ✓ With Speed regulator


ARX-128H
30mm Air Belt Sander

Belt Size..... 30 x 540 mm
 Free Speed..... 13,000R.P.M.
 Net Weight..... 2.1kg
 Overall Length..... 390mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT

Features

- ✓ High Power motor
- ✓ Ergonomic rubber grip


ARX-1228
1HP Industrial Abrasive Tool

Free Speed..... 3,200R.P.M.
 Net Weight..... 2kg
 Overall Length..... 243.6mm
 Sound Level..... <90dBA
 Power..... 1HP(0.746kW)
 Housing..... Steel
 Air Consumption..... 4cfm
 Air Inlet..... 3/8"PT or NPT



ARX-6026**Compact Multi-Sander (60X260mm)**

Free Speed..... 7,000R.P.M.
Sound Pressure..... 87dBA
Net Weight..... 1.42kg
Overall Length..... 180mm
Air Pressure..... 90psi
Air Consumption..... 3cfm
Air Inlet..... 1/4"PT

**ARX-6126****Compact Multi-Sander (60X260mm)**

Free Speed..... 8,000R.P.M.
Sound Pressure..... 83dBA
Net Weight..... 1.51kg
Overall Length..... 220mm
Air Pressure..... 90psi
Air Consumption..... 3cfm
Air Inlet..... 1/4"PT



ARX-110
Micro Air Die Grinder

Free Speed..... 56,000R.P.M.
 Standard Collet..... 1/8"
 Optional Collet..... 3mm
 Net Weight..... 0.21kg
 Overall Length..... 156mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT


ARX-110K
Micro Air Die Grinder Kit Set

Free Speed..... 56,000R.P.M.
 Standard Collet..... 1/8"
 Optional Collet..... 3mm
 Net Weight..... 0.21kg
 Overall Length..... 156mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Accessory..... 10 PCS 1/8" Shank Stone
 2 PCS Spanners
 1 PC 1/8" Collet
 1 PC Oiler


ARX-113M
Air Mini Die Grinder

Free Speed..... 25,000R.P.M.
 Power..... 0.3Hp
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3 & 6mm
 Weight 0.36kg
 Length..... 135mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Exhaust..... Front Exhaust
 Air Inlet..... 1/4"PT



ARX-114AN
90 Degree Angle Air Die Grinder

Free Speed..... 18,000R.P.M.
 Motor Power..... 0.3HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3 & 6mm
 Weight 0.5kg
 Length..... 130mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Front Exhaust


ARX-1120AH
120 Degree Angle Air Die Grinder

Free Speed..... 20,000R.P.M.
 Motor Power..... 0.3HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3 & 6mm
 Weight 0.4kg
 Length..... 90mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Front Exhaust


ARX-111N
Heavy Duty Air Die Grinder

Free Speed..... 22,000R.P.M.
 Motor Power..... 0.6HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collect..... 3mm & 6mm
 Net Weight..... 0.62kg
 Overall Length..... 175mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Rear Exhaust



ARX-111K
Heavy Duty Air Die Grinder Kit Set

Free Speed..... 22,000R.P.M.
 Motor Power..... 0.6HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.62kg
 Overall Length..... 75mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Rear Exhaust
 Accessory..... 5Pcs 1/4" Shank Stone
 5pcs 1/8" Shank Stone


ARX-132NE
4" Extended Air Die Grinder

Free Speed..... 22,000R.P.M.
 Motor Power..... 0.45HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.65kg
 Overall Length..... 265mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT


ARX-ST200
Heavy Duty Air Die Grinder

Free Speed..... 22,000R.P.M.
 Power..... 0.5HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.6kg
 Length..... 178mm
 Air Pressure..... 90psi
 Air Consumption..... 3.5cfm
 Air Inlet..... 1/4"PT



ARX-ST200K
Heavy Duty Air Die Grinder Kit Set

Free Speed..... 22,000R.P.M.
 Motor Power..... 0.5HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.6kg
 Overall Length..... 178mm
 Air Inlet..... 1/4"PT
 Accessory..... 5Pcs 1/4" Shank Stone
 5pcs 1/8" Shank Stone


ARX-116
Air Die Grinder

Free Speed..... 25,000R.P.M.
 Motor Power..... 0.3HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.58kg
 Sound Pressure..... 74dBA
 Overall Length..... 164mm
 Air Pressure..... 90psi
 Air Consumption..... 2.1cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Rear Exhaust


ARX-117HG
Heavy Duty Air Die Grinder

Free Speed..... 2,400R.P.M.
 Motor Power..... 0.5HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collect..... 3mm & 6mm
 Net Weight..... 0.9kg
 Overall Length..... 214mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT



ARX-DG14A

Heavy Duty Air Die Grinder

Free Speed..... 22,000R.P.M.
 Motor Power..... 0.45HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.7kg
 Overall Length..... 170mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... 360° Swivel Exhaust



Features

- ✓ 360°Adjustable exhaust directs air away from the user.
- ✓ Comfort rubber grip.
- ✓ Stronger cylinder with longer durability.

ARX-ADG14A

Heavy Duty Industrial 90 Degree Angle Air Die Grinder

Free Speed..... 18,000R.P.M.
 Motor Power..... 0.45HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.8kg
 Overall Length..... 170mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... 360° Swivel Exhaust



Features:

- ✓ 360°adjustable exhaust directs air away from the user.
- ✓ Comfort rubber grip.
- ✓ Stronger cylinder with longer durability.
- ✓ Heat release hole for preventing over heat to damage gears and bearings.

ARX-DG1514

Heavy Duty Air 115 Degree Angle Die Grinder

Free Speed..... 18,000R.P.M.
 Motor Power..... 0.45HP
 Standard Collet..... 1/4" & 1/8"
 Optional Collet..... 3mm & 6mm
 Net Weight..... 0.8kg
 Overall Length..... 170mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... 360° Swivel Exhaust



Features:

- ✓ Stronger Cylinder For High Power and Longer Durability.
- ✓ Comfort Rubber Cover Grip.
- ✓ 360° Swivel Rear Exhaust Silencer.
- ✓ 115 Degree Angle Head.
- ✓ Safety Throttle Lever.
- ✓ Air Regulator On Top.

ARX-1105
0.4HP Industrial Composite Die Grinder

Free Speed.....25,000R.P.M.
 Power.....0.4HP
 Net Weight.....0.49kg
 Overall Length.....178mm
 Sound Pressure.....<75dBA
 Air Pressure.....90psi
 Air Consumption.....2.5cfm
 Air Inlet.....1/4"PT


Industrial Collet Inside
Features:

- ✓ High power & light weight & low noise.
- ✓ Run out < 0.08mm
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.

INDUSTRIAL

ARX-1105A
0.4HP Industrial Composite Angle Die Grinder

Free Speed..... 20,000R.P.M.
 Motor Power..... 0.4HP
 Net Weight.....0.62kg
 Length..... 182mm
 Sound Pressure..... <78dBA
 Air Pressure..... 90psi
 Air Consumption 2.5cfm
 Air Inlet..... 1/4"PT


Industrial Collet Inside
Features:

- ✓ High power & light weight & low noise.
- ✓ Run out < 0.08mm
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.
- ✓ 90°angle head allows flexibility for grinding in confined areas.

INDUSTRIAL

ARX-1105L
0.4HP Industrial Composite 5" Extension Die Grinder

Free Speed..... 25,000R.P.M.
 Motor Power..... 0.4HP
 Net Weight.....0.66kg
 Overall Length..... 303mm
 Sound Pressure..... <79dBA
 Air Pressure..... 90psi
 Air Consumption..... 2.5cfm
 Air Inlet..... 1/4"PT


Industrial Collet Inside
Features:

- ✓ High power & light weight & low noise.
- ✓ Run out < 0.08mm
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.
- ✓ Extension head allows flexibility for grinding in confined areas.

INDUSTRIAL


ARX-1106
**0.6HP Industrial Composite
Die Grinder**

Free Speed..... 22,000R.P.M.
 Motor Power..... 0.6HP
 Net Weight..... 0.71kg
 Overall Length..... 198mm
 Sound Pressure..... <78dBA
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT


Industrial Collet Inside
Features:

- ✓ High power & light weight & low noise.
- ✓ Run out < 0.08mm.
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.

INDUSTRIAL

ARX-1106G
**0.6HP Industrial Composite
Low Speed Die Grinder**

Free Speed..... 4,500R.P.M.
 Motor Power..... 0.6HP
 Net Weight..... 0.89kg
 Overall Length..... 201mm
 Sound Pressure <77dBA
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT


Industrial Collet Inside
Features:

- ✓ High power & light weight & low noise.
- ✓ Run out < 0.08mm.
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.
- ✓ Grinder with speed reducer clutch for creating more power.

INDUSTRIAL

ARX-1106L
**0.6HP Industrial Composite 5"
Extension Die Grinder**

Free Speed..... 20,000R.P.M.
 Motor Power..... 0.6HP
 Net Weight..... 1.04kg
 Overall Length..... 331mm
 Sound Pressure..... <78dBA
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT


Industrial Collet Inside
Features:

- ✓ High power & light weight & low noise.
- ✓ Run out < 0.08mm.
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.
- ✓ Extension head allows flexibility for grinding in confined areas.

INDUSTRIAL


ARX-081
0.5HP Industrial Composite Die Grinder

Free Speed..... 25,000R.P.M.
 Motor Power..... 0.5HP
 Net Weight..... 0.84kg
 Overall Length..... 156mm
 Sound Pressure..... <85.5dBA
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Front Exhaust


Features:

- ✓ High power
- ✓ Run out < 0.08mm
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.
- ✓ High strength housing for heavy duty working & strict environment.

INDUSTRIAL

ARX-1128
1HP Industrial Heavy Duty Die Grinder

Free Speed..... 20,000R.P.M.
 Power..... 1HP
 Net Weight..... 1.3kg
 Overall Length..... 220mm
 Sound Pressure..... <80dBA
 Air Pressure..... 90psi
 Air Consumption..... 5.25cfm
 Air Inlet..... 3/8"PT
 Air Exhaust..... Rear Exhaust


Industrial Collet Inside

Features:

- ✓ One-piece governor governed motor for maximum speed at maximum output.


Air Inlet Governor

- ✓ Run out < 0.08mm
- ✓ Variable speed trigger for working with ease.
- ✓ High precision good to use Tungsten Carbide and Stone Burr grinding.
- ✓ High strength housing for heavy duty working & strict environment.
- ✓ Rear exhaust: The extended muffler tool for larger hands and reduces noise.

ARX-211
3/8" Air Drill

Chuck Size 3/8"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 2,200R.P.M.
 Overall Length..... 180mm
 Net Weight..... 1.1kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 2 Gears


ARX-213KL
3/8" Feathering Control Reversible Drill

Chuck Size 3/8"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed 1,800R.P.M.
 Overall Length..... 195mm
 Net Weight..... 0.9kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 2 Gears


ARX-212
3/8" Air Reversible Drill

Chuck Size 3/8"
 Min Hose Size..... 3/8"
 Free Speed..... 1,800R.P.M
 Net Weight..... 1.24kg
 Overall Length..... 178mm
 Air Pressure..... 90psi
 Air Consumption..... 3.5cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Planetary Gears



ARX-702KL
1/2" Air Reversible Drill

Chuck Size..... 1/2"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 450R.P.M.
 Net Weight..... 1.2kg
 Overall Length..... 230mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT


ARX-703
1/2" Air Drill

Chuck Size..... 1/2"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 500R.P.M.
 Net Weight..... 1.5kg
 Overall Length..... 230mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 2 Gear


ARX-704
1/2" Air Reversible Drill

Chuck Size..... 1/2"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 800R.P.M.
 Net Weight..... 1.4kg
 Overall Length..... 222mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Planetary Gears



ARX-618HK
Industrial Spot Drill

Bit Size 8mm
 Free Speed..... 1,600R.P.M.
 Overall Length..... 235mm
 Net Weight..... 2kg
 Air Pressure..... 90psi
 Air Consumption..... 6cfm
 Air Inlet..... 1/4"PT


ARX-852S
1/4" Piston Air Reversible Drill

Min Hose Size..... 1/4"
 Spindle Thread..... 3/8"-24unf.
 Free Speed 2,000R.P.M.
 Overall Length..... 138mm
 Net Weight..... 0.84kg
 Sound Pressure..... 86dBA
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²
 Mechanism..... Planetary Gears


ARX-852SY
1/4" Piston Air Reversible Drill

Min Hose Size..... 1/4"
 Spindle Thread..... 3/8"-24unf.
 Free Speed 2,000R.P.M.
 Net Weight..... 0.84kg
 Overall Length..... 138mm
 Sound Pressure..... 86dBA
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Vibration..... <2.5m/s²
 Mechanism..... Planetary Gears



ARX-205N
3/8" 90 Degree Angle Drill

Chuck Size..... 3/8"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 1,900R.P.M.
 Net Weight..... 0.9kg
 Overall Length..... 193mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Planetary Gears


ARX-510AH
3/8" 90 Degree Reversible Angle Drill

Chuck Size..... 3/8"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 1,650R.P.M.
 Net Weight..... 1.8kg
 Overall Length..... 198mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Planetary Gears


ARX-ST225
0.5 HP 3/8" 90 Degree Angle Air Drill

Chuck Size..... 3/8"
 Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Free Speed..... 1,800R.P.M.
 Net Weight..... 0.9kg
 Overall Length..... 195mm
 Air Pressure..... 90psi
 Air Consumption..... 3.5cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Planetary Gears



ARX-117D**3/8" Air Straight Drill**

Chuck Size 3/8"
Min Hose Size..... 3/8"
Spindle Thread..... 3/8"-24unf.
Free Speed..... 2,500R.P.M.
Overall Length..... 218mm
Net Weight 0.9kg
Air Pressure..... 90psi
Air Consumption..... 3cfm
Air Inlet..... 1/4"PT
Mechanism..... Planetary Gears

**ARX-215****3/8" Straight Drill**

Chuck Size 3/8"
Min Hose Size..... 3/8"
Spindle Thread..... 3/8"-24unf.
Free Speed 2,500R.P.M.
Overall Length..... 230mm
Net Weight 1kg
Air Pressure..... 90psi
Air Consumption..... 6cfm
Air Inlet..... 1/4"PT
Mechanism..... Full Cage 2 Gears



ARX-117B
Heavy Duty Tire Buffer

Min Hose Size..... 3/8"
 Spindle Thread..... 3/8"-24unf.
 Motor Power..... 0.45HP
 Free Speed..... 2,500R.P.M.
 Overall Length..... 177mm
 Net Weight..... 0.9kg
 Air Pressure..... 90psi
 Air Consumption..... 3.1cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Planetary Gears


ARX-119
Air Tire Buffer

Buff Wheel Diameter..... 65mm
 Free Speed 2,500R.P.M.
 Overall Length..... 200mm
 Net Weight..... 0.95kg
 Air Pressure..... 90psi
 Air Consumption..... 2.26cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 3 Gears


ARX-118
Air Smart Eraser

Wheel Diameter..... 90mm
 Free Speed..... 2,500R.P.M.
 Overall Length..... 200mm
 Net Weight..... 0.95kg
 Air Pressure..... 90psi
 Air Consumption..... 2.26cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 2 Gears



ARX-304/800
1/4" Adjustable Clutch Reversible Screwdriver

Hex Drive Capacity..... 1/4"
 Hose Size..... 3/8"
 Free Speed..... 800R.P.M.
 Torque..... 3.39~10.74Nm
 Overall Length 225mm
 Net Weight. 1.3kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT


ARX-304/1800
1/4" Adjustable Clutch Reversible Screwdriver

Hex Drive Capacity..... 1/4"
 Hose Size..... 3/8"
 Free Speed..... 1,800 R.P.M.
 Torque..... 3.39~7.91Nm
 Net Weight..... 1.1kg
 Overall Length..... 205mm
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT


ARX-OP103G
1/4" Adjustable Clutch Screwdriver

Hex Drive Capacity..... 6mm
 Free Speed..... 600R.P.M.
 Max Torque..... 8Nm
 Overall Length..... 265mm
 Net Weight..... 0.95kg
 Sound Pressure..... 90dBA
 Air Pressure..... 90psi
 Air Consumption..... 6cfm
 Air Inlet..... 1/4"PT
 Air Exhaust..... Side Exhaust



ARX-OP304
Adjustable Clutch Screwdriver

Hex Drive Capacity..... 4mm
 Free Speed..... 1,700R.P.M.
 Max Torque..... 3Nm
 Overall Length..... 235mm
 Net Weight 0.61kg
 Sound Pressure..... 80dBA
 Air Pressure..... 90psi
 Air Consumption..... 5cfm
 Air Inlet.....1/4"PT


ARX-3009
Composite Air Impact Screw Driver

Square Drive.....1/4"
 Mechanism.....Twin Hammer
 Free Speed.....8900 rpm
 Max. Torque.....240 ft-lb(325Nm)
 Net Weight.....0.98kg
 Overall Length.....164.2mm
 Bolt Capacity.....1/4"(6.4mm),M12
 Air Pressure.....90psi
 Air Consumption.....3.41cfm
 Sound Pressure.....86.2 Dba
 Bump Per Minute.....1815 bpm
 Vibration.....2.83 m/s²
 Hose Size.....3/8"
 Air Inlet.....1/4" pt



ARX-604
Air Body Saw

Free Speed..... 9,000R.P.M.
 Overall Length 235mm
 Strokes Length..... 10mm
 Capacity Cutting Size..... steel 1.6mm
 Net Weight. 0.7kg
 Air Pressure..... 90psi
 Air Consumption..... 6.5cfm
 Air Inlet.....1/4"PT


ARX-604
Vibration Reduced Mini Air Pipe Saw

Cutting Capacity..... 8mm thickness in steel
 Free Speed..... 5,500 B.P.M.
 Strokes Length..... 20mm
 Net Weight..... 0.7kg
 Overall Length..... 330mm (with Saw)
 215mm (without Saw)
 Air Pressure..... 90psi
 Sound Pressure..... 85dBA
 Air Consumption..... 3cfm
 Air Inlet.....1/4"PT
 Vibration..... 3m/s²
 Accessory..... 14T Bi-metal Saw blades *1pc
 18T Bi-metal Saw blades *1pc
 24T Bi-metal Saw blades *1pc
 3mm Hex. Wrench*1pc


ARX-6401/ ARX-B6401
Vibration Reduced Air Body Saw [ARX-6401]

Blows Per Minutes..... 12,000B.P.M.
 Cutting Capability To Steel Sheet..... 4mm
 Strokes Length 10mm
 Overall Length..... 147mm
 Net Weight..... 0.4kg
 Air Pressure..... 90psi
 Air Consumption..... 1.7cfm
 Air Inlet.....1/4"PT
 Vibration..... 3m/s²



ARX-ASF10
Air Body Saw

Blows Per Minutes..... 9,000B.P.M.
 Overall Length..... 235mm
 Strokes Length..... 10mm
 Capacity Cutting Size..... Steel 1.6mm
 Net Weight..... 0.8kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT


ARX-350D
Air Sabre Saw

Blows Per Minutes..... 1,200B.P.M.
 Min Hose Size..... 3/8"
 Strokes Length..... 45mm
 Capacity Cutting Size..... Steel 1.6mm
 Net Weight..... 2.8kg
 Air Pressure..... 90psi
 Sound Pressure..... 85dBA
 Air Consumption..... 4.6cfm
 Air Inlet..... 1/4"PT
 Vibration..... 3.5m/s²
 Content.... 1 Pc Hand Grip

1 Pc Patented Universal Swivel Joint

1 Pc Nipple 1/4"Plug

1 Pc Oil Pot

1 Pc 300 mm 14TPI

1Pc 8/12TPI Bi-Metal BAHCO Saw Blades
(1/2"W*12"L*0.025"T)

1 Pc 3mm Hex Wrench


ARX-0827
Air Metal Shear

Hose Size..... 3/8"
 Free Speed..... 2,600R.P.M.
 Overall Length..... 230mm
 Cutting Capacity Steel..... 18 Gauge (1.2mm)
 Net Weight..... 1.3kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT



ARX-871
Air Straight Metal Shear

Hose Size..... 3/8"
 Free Speed..... 2,600R.P.M.
 Overall Length 256mm
 Cutting Capacity Steel..... 18 Gauge (1.2mm)
 Net Weight. 1kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 2 Gears


ARX-872
Air Straight Metal Scissor

Hose Size..... 3/8"
 Free Speed..... 2,600 B.P.M.
 Overall Length..... 290mm
 Net Weight..... 1.1kg
 Cutting Capacity Steel..... 18 Gauge (1.2mm)
 Air Pressure..... 90psi
 Sound Pressure..... 85dBA
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT
 Mechanism..... Full Cage 2 Gears


ARX-1330
Air Knife

Free Speed..... 20,000R.P.M.
 Overall Length..... 200mm
 Net Weight..... 1kg
 Air Pressure..... 90psi
 Sound Pressure..... 80dBA
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT



ARX-606N/5; ARX-606N/8
5mm Air Punch & Flange Tool [ARX-606N/5]
8mm Air Punch & Flange Tool [ARX-606N/8]

Punch Hole..... 5mm [8mm]
 Cutting capacity thickness.....
 Steel1.2mm, Aluminum 2.0mm (for ARX-606N/5)
 Steel 1.0mm, Aluminum 1.8mm (for ARX-606N/8)
 Overall Length..... 250mm
 Net Weight..... 1.3kg [1.4kg]
 Air Pressure..... 90psi
 Air Consumption..... 0.25cfm
 Air Inlet..... 1/4"PT


ARX-605
Air Nibbler

Free Speed..... 3,000R.P.M.
 Overall Length..... 180mm
 Cutting Capacity..... 1.2mm
 Sound Pressure..... 93dBA
 Net Weight..... 0.9kg
 Air Pressure..... 90psi
 Air Consumption..... 2cfm
 Air Inlet..... 1/4"PT


ARX-0814
Air Nibbler

Hose Size..... 3/8"
 Free Speed..... 3,500R.P.M.
 Cutting Capacity Thickness.....
 Steel1.6mm , Aluminum 2.0mm
 Overall Length..... 226mm
 Sound Pressure 93dBA
 Net Weight..... 1kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4"PT



ARX-135
3" Air Cut-Off Tool

Wheel Diameter..... 3"
 Hose Size..... 3/8"
 Free Speed..... 18,000R.P.M.
 Overall Length 190mm
 Motor Power..... 0.45HP
 Net Weight. 0.7kg
 Air Pressure..... 90psi
 Air Consumption..... 4cfm
 Air Inlet.....1/4"PT
 Air Exhaust..... Rear Exhaust


ARX-335
3" Cut-Off Tool

Wheel Diameter..... 3"
 Hose Size..... 3/8"
 Free Speed..... 20,000 R.P.M.
 Overall Length..... 200mm
 Net Weight..... 0.9kg
 Motor Power..... 0.5HP
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Noise..... 79dB


ARX-356
3" Cut-Off Tool

Wheel Diameter..... 3"
 Hose Size..... 3/8"
 Free Speed..... 18,000 R.P.M.
 Overall Length..... 196mm
 Net Weight..... 1.1kg
 Motor Power..... 0.5HP
 Air Pressure..... 90psi
 Air Consumption..... 6cfm
 Air Inlet.....1/4"PT




ARX-PRI28SR
Air Riveting Hammer

Air Hose..... 3/8"
 Blows Per Minutes..... 5,400B.P.M.
 Piston Stroke..... 31mm
 Sound Pressure..... 90.4dBA
 Power Pressure..... 105.9dBA
 Net Weight..... 0.4kg
 Overall Length..... 170mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT
 Vibration..... 2.42m/s²

Features:

- ✓ Compact and lightweight
- ✓ Ideal for small riveting
- ✓ Heat-treated piston & cylinder for longer working

★ Chisel Shank:

ARX-275R/ARX-275H
**Round Shank Air Chisel Hammer [ARX-275R]
Hex Shank Air Chisel Hammer [ARX-275H]**


Air Hose..... 3/8"
 Chisel Opening Shank.... Round 0.401"
 Hex 10mm
 Hex 11mm
 Blows Per Minutes..... 3,000B.P.M.
 Piston Stroke..... 66mm
 Sound Pressure..... 99.8dBA
 Power Pressure..... 110.6dBA
 Net Weight..... 1.7kg
 Overall Length..... 170mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 5.1m/s²

Features:

- ✓ The economical air hammer fast cutting action, especially for medium exhaust system, panel cutting, and general repair work
- ✓ Built-in power regulator and trigger control
- ✓ Alloyed steel barrel and heat-treated piston for longer working

★ Chisel Shank:

0.401"(10.2mm) Round & Hex
 0.433" (11mm) Hex


ARX-275K
Air Chisel Hammer Kit

Air Hose..... 3/8"
 Chisel Opening Shank.... Round 0.401"
 Hex 10mm
 Blows Per Minutes..... 3,000B.P.M.
 Chisel Opening Shank..... 10mm
 Piston Stroke..... 66mm
 Sound Pressure..... 99.8dBA
 Power Pressure..... 110.6dBA
 Net Weight..... 3.2kg
 Overall Length..... 170mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 5.1m/s²
 Accessory..... 5Pcs 7" Chisel Bit
 1Pc Bit Spring Retainer
 1Pc Quick Release Bit Retainer

Features:

- ✓ The economical air hammer fast cutting action, especially for medium exhaust system, panel cutting, and general repair work
- ✓ Built-in power regulator and trigger control
- ✓ Alloyed steel barrel and heat-treated piston for longer life



ARX-711R / ARX-711H**Round Shank Short Air Chisel Hammer [ARX-711R]
Hex Shank Short Air Chisel Hammer [ARX-711H]**



Air Hose..... 3/8"
 Blows Per Minutes..... 3,000B.P.M.
 Chisel Opening Shank..... Round 0.401"
 Hex 10mm
 Hex 11mm
 Piston Stroke..... 66mm
 Sound Pressure..... 104dBA
 Power Pressure..... 115dBA
 Net Weight..... 1.7kg
 Overall Length..... 175mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 14.98m/s²

Features:

- ✓ Professional touch trigger for total control
- ✓ Long-life tool with a touch one piece alloy barrel
- ✓ Easy to maintain, with an "easy out" throttle valve assembly

★Chisel Shank:

0.401"(10.2mm)Round & Hex
 0.433"(11mm)Hex

**ARX-715R / ARX-715H****Round Shank Long Air Chisel Hammer [ARX-715R]
Hex Shank Long Air Chisel Hammer [ARX-715H]**


Air Hose..... 3/8"
 Blows Per Minutes..... 2,100B.P.M.
 Chisel Opening Shank..... Round 0.401"
 Hex 10mm
 Piston Stroke..... 3-5/8"
 Sound Pressure..... 94dBA
 Power Pressure..... 105.3dBA
 Net Weight..... 2kg
 Overall Length..... 220mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 10.6m/s²

Features:

- ✓ Professional touch trigger for total control
- ✓ Long-life tool with a touch one piece alloy barrel
- ✓ Easy to maintain, with an "easy out" throttle valve assembly

★Chisel Shank:

0.401"(10.2mm)Round & Hex
 0.433"(11mm)Hex

**ARX-2190QCR/ ARX-2190QCH****Round Shank Vibro-reduced Pneumatic Hammer [ARX-2190QCR]
Hex Shank Vibro-reduced Pneumatic Hammer [ARX-2190QCH]**


Air Hose..... 3/8"
 Chisel Opening Shank..... Round 0.401"
 Hex 10mm
 Hex 11mm
 Blows Per Minutes..... 3,000B.P.M.
 Piston Stroke..... 70mm
 Net Weight..... 2kg
 Overall Length..... 220mm
 Air Pressure..... 90psi
 Air Consumption..... 7.8cfm
 Air Inlet..... 1/4"PT

Features:

- ✓ Handle grip designed for users' comfort
- ✓ Vibration damped integrated support grip
- ✓ Lightweight robust aluminum alloy casing
- ✓ Simplified and high efficiently

★Chisel Shank:


0.401"(10.2mm)Round & Hex
 0.433"(11mm)Hex



ARX-K5R / ARX-K5HX
Round Shank Short Air Chisel Hammer
[ARX-K5R]
Hex Shank Short Air Chisel Hammer
[ARX-K5HX]

Air Hose.....	3/8"
Blows Per Minutes	4,500B.P.M. [5,000B.P.M.]
Chisel Opening Shank.....	Round 10mm Hex 10mm Hex 11mm
Piston Stroke.....	50mm [60mm]
Sound Pressure.....	101.6dBA
Power Pressure.....	113.5dBA
Net Weight.....	1.4 kg [1.5kg]
Overall Length.....	155mm [165mm]
Air Pressure.....	90psi
Air Consumption.....	10cfm
Air Inlet.....	1/4"PT
Vibration.....	3.7m/s ²

★ Chisel Shank:
0.401" (10.2mm) Round & Hex
0.433" (11mm) Hex



2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

2

ARX-JI0SR / ARX-JI0SH
Round Shank Chipping Hammer
[ARX-JI0SR]
Hex Shank Chipping Hammer [ARX-JI0SH]

Air Hose.....	3/8"
Blows Per Minutes.....	3,000B.P.M.
Chisel Opening Shank.....	Round 12.7mm Hex 12mm
Piston Stroke.....	67mm
Sound Pressure.....	103dBA
Power Pressure.....	114dBA
Net Weight.....	1.8kg
Overall Length.....	270mm
Air Pressure.....	90psi
Air Consumption.....	14cfm
Air Inlet.....	1/4"PT
Vibration.....	12.7m/s ²



ARX-6203R/ ARX-6203H
3" Four Bolts Round Shank Chipping Hammer [ARX-6203R]
3" Four Bolts Hex Shank Chipping Hammer [ARX-6203H]

Air Hose.....	1/2"
Blows Per Minutes.....	1,900B.P.M.
Chisel Opening Shank....	Round 0.68" Hex 0.58"
Piston Stroke.....	119mm
Net Weight.	8.5kg
Overall Length.....	420mm
Air Pressure.....	90psi
Air Consumption.....	5.6cfm
Air Inlet.....	3/8"PT

Features:

- ✓ Four high strength 1/2" bolts locking mechanism increased tools durability, strength and ease service
- ✓ "D" handle with inner trigger
- ✓ Standard retainer strong and reliable
- ✓ Available in 2"~4" cylinder stroke versions
- ✓ 0.58" Hex prevents chisel rotation

★ Chisel Shank:
0.68"(17.2mm)Round & Hex/ 0.58"(14.5mm)Hex


ARX-130K
Long Reach Air Scraper Kit

Air Hose.....	3/8"
Blows Per Minutes.....	2,400B.P.M.
Piston Stroke.....	38mm
Sound Pressure.....	99dBA
Power Pressure.....	111.3dBA
Net Weight.....	11.5kg
Overall Length.....	620mm 1,120mm 1,520mm
Air Pressure.....	90psi
Air Consumption.....	10cfm
Air Inlet.....	1/4"PT
Vibration.....	18.7m/s ²

Accessory

1pc Blow Case	
1pc JI-130 Long Reach Scraper	
4pcs Flat Chisel	40/ 50/ 70/ 100mm
2pcs Grip Tube	500mm
1pc Grip Tube	300mm
1pc Rubber Handle Grip	
1pc Hex Wrench	6mm
1pc Hex Wrench	2.5mm
1pc 1/4" Air Nipple	


Features:

- ✓ Quick change chisel release
- ✓ Unique, light-weight version
- ✓ Air efficient and economical to use
- ✓ Available in 3L, 4L, 5L, and 6L lengths
- ✓ Three tools in one: chipping, scraping, descaling

ARX-JI160 / ARX-JI160L
Air Triple Piston Scaling Hammer [ARX-JI160]
Air Triple Linear Scaling Hammer [ARX-JI160L]

Air Hose..... 3/8"
 Blows Per Minutes..... 2,400B.P.M.
 Piston Diameter..... 27mm
 Piston Stroke..... 26mm
 Sound Pressure..... 91.9dBA
 Power Pressure..... 104.1dBA
 Net Weight..... 4kg
 Overall Length..... 550mm[520mm]
 Air Pressure..... 90psi
 Air Consumption..... 7.8cfm
 Air Inlet..... 3/8"PT
 Vibration..... 13.3m/s²

ARX-JI160

ARX-JI160L

Features:

- ✓ Lightweight, easy to handle.
- ✓ Detachable taper fit cutter head reduce cost of replacement and extend piston life.
- ✓ Bush hammer tungsten carbide tipped pistons.
- ✓ Alternative cruciform tungsten carbide tipped pistons.
- ✓ Removal of rust, coatings, scale from steel structures and surface.
- ✓ Cleaning of cast iron, steel pipe and bell joins of gas lines maintained by utilities and gas companies.
- ✓ Removal of stubborn coatings and mastic residue from floor.
- ✓ Reduced Vibration improves operator's control.

ARX-JI200 / ARX-200T
Air Triple Piston Scaling Hammer [ARX-200]
Air Triple Linear Scaling Hammer [ARX-200T]

Air Hose..... 3/8"
 Free Speed..... 7,000R.P.M.
 Piston Diameter..... 30mm
 Piston Stroke..... 38mm
 Sound Pressure..... 89.1dBA
 Power Pressure..... 101.3dBA
 Optional Collet..... 3 & 6mm
 Net Weight..... 2.3kg[2.4kg]
 Overall Length..... 560mm[550mm]
 Air Pressure..... 90psi
 Air Consumption..... 3.3cfm
 Air Inlet..... 1/4"PT[3/8"PT]
 Vibration..... 35.1m/s²

ARX-JI200

ARX-200T

Features:

- ✓ Lightweight, easy to handle.
- ✓ Detachable taper fit cutter head reduce cost of replacement and extend piston life.
- ✓ Bush hammer tungsten carbide tipped pistons.
- ✓ Alternative cruciform tungsten carbide tipped pistons.
- ✓ Removal of rust, coatings, scale from steel structures and surface.
- ✓ Cleaning of cast iron, steel pipe and bell joins of gas lines maintained by utilities and gas companies.
- ✓ Removal of stubborn coatings and mastic residue from floor.
- ✓ Reduced Vibration improves operator's control.

ARX-288S**Air Mini Straight Descaler**

Air Hose..... 3/8"
 Blows Per Minutes..... 5,500B.P.M.
 Piston Stroke..... 32mm
 Needle Diameter..... 3x125mm
 Net Weight..... 1.3kg
 Overall Length..... 290mm
 Sound Pressure..... 85.56dBA
 Power Pressure..... 97.52dBA
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT
 Vibration..... 6.67m/s²

Needle in ARX-288S


**ARX-288F****Flux Chipper**

Air Hose..... 3/8"
 Blows Per Minutes..... 4,800B.P.M.
 Piston Stroke..... 32mm
 Sound Pressure..... 85.56dBA
 Power Pressure..... 97.52dBA
 Net Weight..... 1.1kg
 Overall Length..... 235mm
 Air Pressure..... 90psi
 Air Consumption..... 3cfm
 Air Inlet..... 1/4"PT
 Vibration..... 6.67m/s²

Chisel in ARX-288F



★ Chisel Shank of ARX-288SF

**ARX-288SF****Air Mini Straight Descaler & Flux Chipper****Features:**

- ✓ Convertible to be chipper
- ✓ Adjust needle descaler or different chisel type depends on work tasks




Locking Lever Type
 For Option at
 ARX-288S, ARX-288F
 ,and ARX-288SF




ARX-JI260F
Flux Chipper

Air Hose..... 3/8"
 Blows Per Minutes..... 4,400B.P.M.
 Piston Stroke..... 33mm
 Sound Pressure..... 98.36dBA
 Power Pressure..... 109.36dBA
 Net Weight..... 2.7kg
 Overall Length..... 650mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 6.33m/s²

★ Chisel Shank 0.5"(12.7mm)

★ Chisels of ARX-JI260F


ARX-JI270F
Air Industrial Flux Chipper

Air Hose..... 3/8"
 Blows Per Minutes..... 5,000B.P.M.
 Piston Stroke..... 33mm
 Sound Pressure..... 90.3dBA
 Power Pressure..... 101.7dBA
 Net Weight..... 1.8kg
 Overall Length..... 420mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 11.56m/s²

★ Chisel Shank 0.5"(12.7mm)

★ Chisel of ARX-JI270F

ARX-268
Air Needle Descaler

Air Hose..... 3/8"
 Blows Per Minutes..... 4,600B.P.M.
 Piston Stroke..... 38mm
 Needle Diameter..... 3x180mm
 Amount Of Needles..... 19pcs
 Sound Pressure..... 92.26dBA
 Power Pressure..... 104.3dBA
 Net Weight..... 1.3kg
 Overall Length..... 460mm
 Air Pressure..... 90psi
 Air Consumption..... 15cfm
 Air Inlet..... 1/4"PT
 Vibration..... 6.73m/s²

★ Chisel Shank 3/8"(9.5mm)

★ Needle of ARX-268


ARX-268K
**Straight Descaler and Chipper
Kit**

Air Hose..... 3/8"
 Blows Per Minutes..... 4,600B.P.M.
 Piston Stroke..... 38mm
 Needle Diameter..... 3x180mm
 Amount Of Needles..... 19pcs
 Sound Pressure..... 92.26dBA
 Power Pressure..... 104.3dBA
 Net Weight..... 4kg
 Overall Length..... 460mm
 Air Pressure..... 90psi
 Air Consumption..... 15cfm
 Air Inlet..... 1/4"PT
 Vibration..... 6.73m/s²

Accessory:

Blow Case	1pc
ARX-268	1pc
Moil Point Chisel	1pc
Flat Chisel 20mm	1pc
Flat Chisel 35mm	1pc
Needle Attachment	1set
Needle Nipple	1pc


Chisel Shank of ARX-268

ARX-130NS
Air Needle Descaler

Air Hose..... 3/8"
 Blows Per Minutes..... 2,800B.P.M.
 Piston Stroke..... 38mm
 Needle Diameter..... 3x180mm
 Amount of Needles..... 28pcs
 Sound Pressure..... 96dBA
 Power Pressure..... 107dBA
 Net Weight..... 5.4kg
 Overall Length..... 600mm
 Air Pressure..... 90psi
 Air Consumption..... 10cfm
 Air Inlet..... 1/4"PT
 Vibration..... 18.7m/s²


ARX-JI20
Air Needle Descaler

Air Hose..... 3/8"
 Blows Per Minutes..... 5,500B.P.M.
 Piston Stroke..... 27mm
 Needle Diameter..... 3x125mm
 Sound Pressure..... 97.7dBA
 Power Pressure..... 108.69dBA
 Net Weight..... 2.4kg
 Overall Length..... 345mm
 Air Pressure..... 90psi
 Air Consumption..... 7.1cfm
 Air Inlet..... 3/8"PT
 Vibration..... 11.74m/s²



★ Optional Needle Size: 2mm×27pcs Needles

ARX-1110
Medium Duty Air Needle Descaler

Air Hose.....	3/8"
Blows Per Minutes.....	3,700B.P.M.
Piston Stroke.....	33mm
Needle Diameter.....	3x180mm
Amount Of Needles.....	19pcs
Sound Pressure.....	97.83dBA
Power Pressure.....	108.81dBA
Net Weight.....	2.7kg
Overall Length.....	330mm
Air Pressure.....	90psi
Air Consumption.....	10cfm
Air Inlet.....	1/4"PT
Vibration.....	8.7m/s ²



★ Optional Needle Size: Ø2mm×29pcs Needles

ARX-JI24
Air Needle Descaler

Air Hose.....	3/8"
Blows Per Minutes.....	4,000B.P.M.
Piston Stroke.....	27mm
Needle Diameter.....	3x180mm
Amount Of Needles.....	23pcs
Sound Pressure.....	96.3dBA
Power Pressure.....	107.3dBA
Net Weight.....	2.8kg
Overall Length.....	335mm
Air Pressure.....	90psi
Air Consumption.....	10cfm
Air Inlet.....	3/8"PT
Vibration.....	12.89m/s ²



★ Optional Needle Size: Ø2mm×53pcs Needles

ARX-JI28
Air Needle Descaler

Air Hose.....	3/8"
Blows Per Minutes.....	3,500B.P.M.
Piston Stroke.....	28mm
Needle Diameter.....	3x180mm
Sound Pressure.....	98.77dBA
Power Pressure.....	109.77dBA
Net Weight.....	3.6kg
Overall Length.....	350mm
Air Pressure.....	90psi
Air Consumption.....	10cfm
Air Inlet.....	3/8"PT
Vibration.....	7.01m/s ²



★ Optional Needle Size: Ø2mm×66pcs Needles
Ø4mm×14pcs Needles

ARX-200N
3/16" Air Hydraulic Riveter

Traction Power....1,045kg·f (2,299lb·f)
@ 6.0kg/cm²(85psi)

Stroke Length..... 16mm(0.63")

Air Pressure..... 6.0kg/cm²(78~85psi)

Nosepiece..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

Weight 1.48kg

Length X Height..... 165x270mm

Air Consumption..... 1.48L/Cycle

Air Hose Size..... 1/4"(6.5mm)

Air Inlet..... 1/4"PT

Capacity

Material		Rivet Diameter(mm)					
Rivet	Mandrel	2.0	(2.5) 2.4 3/32"	(3.0) 3.2 1/8"	4.0 5/32"	(5.0) 4.8 3/16"	
aluminum	aluminum	◎	◎	◎	◎	◎	
aluminum	steel	◎	◎	◎	◎	◎	
steel	steel	◎	◎	◎	◎	◎	
stainless	steel	◎	◎	◎	◎	◎	
stainless	stainless	◎	◎	◎	◎	×	


ARX-200NK
3/16" Air Hydraulic Riveter

Traction Power....1,045kg·f (2,299lb·f)
@ 6.0kg/cm²(85psi)

Stroke Length..... 16mm(0.63")

Air Pressure....5.5~6.0kg/cm²(78~85psi)

Nosepiece..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

Weight 1.48kg

Length X Height..... 165x270mm

Air Consumption..... 1.48L/Cycle

Air Hose Size..... 1/4"(6.5mm)

Air Inlet..... 1/4"PT

Contents

No.	Description	Q'ty
1	ARX-200N (Air Hydraulic Riveter)	1
2	Nose Piece : 3/32" (2.4mm), 1/8" (3.2mm) 5/32" (4.0mm), 3/16" (4.8mm)	4
3	Jaw & Jaw Case Replacement Ass'y	1
4	Valve & Trigger Replacement Ass'y	1
5	Return Spring	1
6	Bolt Plug	1
7	Jaw Case Spring	1
8	Valve Pusher	1
9	Spanner Gauge 17, 15, 71mm	1
10	Spanner 24, 15, 10mm	1
11	O-ring	6
12	Safety Cap	1
13	Safety Cap Nut	1
14	Oiler	1
15	Hex Wrench	1
16	Plug	1
17	Rivets 3/32" (2.4mm)	10
18	Rivets 1/8"(3.2mm)	10
19	Rivets 5/32" (4.0mm)	10
20	Rivets 3/16"(4.8mm)	10


ARX-200NV
3/16" Air Hydraulic Vacuum
Riveter

Traction Power....1,045kg·f (2,299lb·f)
@ 6.0kg/cm²(85psi)

Stroke Length..... 16mm(0.63")

Air Pressure.... 5.5~6.0kg/cm²(78~85psi)

Nosepiece..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

Weight 1.48kg

Length X Height..... 165x270mm

Air Consumption..... 0~5.3cfm

Air Hose Size..... 1/4"(6.5mm)

Air Inlet..... 1/4"PT

Capacity

Material		Rivet Diameter(mm)					
Rivet	Mandrel	2.0	(2.5) 2.4 3/32"	(3.0) 3.2 1/8"	4.0 5/32"	(5.0) 4.8 3/16"	
aluminum	aluminum	◎	◎	◎	◎	◎	
aluminum	steel	◎	◎	◎	◎	◎	
steel	steel	◎	◎	◎	◎	◎	
stainless	steel	◎	◎	◎	◎	◎	
stainless	stainless	◎	◎	◎	◎	◎	

Feature

✓ Strengthening Jaws for stainless rivet.

✓ Low recoil of shock-less can reduce parts consumed and minimise fatigue.



ARX-614
1/4" Heavy Duty Air Hydraulic Riveter

Traction Power.....1,603kg·f(3,528lb·f)
 @6.0kg/cm²(85psi)
 Stroke Length.....14mm(0.55")
 Air Pressure.....6.0~6.5kg/cm² (85~92psi)
 Nosepiece.....3/32"(2.4mm)
 1/8"(3.2mm)
 5/32"(4.0mm)
 3/16"(4.8mm)
 7/32"(5.5mm)
 1/4"(6.4mm)
 Weight1.78kg
 Length X Height.....170X272mm
 Air Consumption.....2.908L/Cycle
 Air Hose Size.....1/4"(6.5mm)
 Air Inlet.....1/4"PT

Capacity

Material		Rivet Diameter(mm)					
Rivet	Mandrel	2.0	(2.5) 2.4 3/32"	(3.0) 3.2 1/8"	4.0 3/32"	(5.0) 4.8 3/16"	6.4 1/4"
aluminum	aluminum	◎	◎	◎	◎	◎	◎
aluminum	steel	◎	◎	◎	◎	◎	◎
steel	steel	◎	◎	◎	◎	◎	◎
stainless	steel	◎	◎	◎	◎	◎	◎
stainless	stainless	◎	◎	◎	◎	◎	×


ARX-614V
1/4" Heavy Duty Air Hydraulic Vacum Riveter

Traction Power.....1,603kg·f(3,528lb·f)
 @6.0kg/cm²(85psi)
 Stroke Length.....14mm(0.55")
 Air Pressure.....6.0~6.5kg/cm² (85~92psi)
 Nosepiece.....3/32"(2.4mm)
 1/8"(3.2mm)
 5/32"(4.0mm)
 3/16"(4.8mm)
 7/32"(5.5mm)
 1/4"(6.4mm)
 Weight1.78kg
 Length X Height.....170X272mm
 Air Consumption.....0~5.3cfm
 Air Hose Size.....1/4"(6.5mm)
 Air Inlet.....1/4"PT

Capacity

Material		Rivet Diameter(mm)					
Rivet	Mandrel	2.0	(2.5) 2.4 3/32"	(3.0) 3.2 1/8"	4.0 3/32"	(5.0) 4.8 3/16"	6.4 1/4"
aluminum	aluminum	◎	◎	◎	◎	◎	◎
aluminum	steel	◎	◎	◎	◎	◎	◎
steel	steel	◎	◎	◎	◎	◎	◎
stainless	steel	◎	◎	◎	◎	◎	◎
stainless	stainless	◎	◎	◎	◎	◎	◎


Feature

- ✓ Strengthening Jaws for stainless rivet.
- ✓ Low recoil of shock-less can reduce parts consumed and minimise fatigue.

ARX-618MT
1/4" Heavy Industrial Air Riveter

Traction Power.....1,750kg·f(3,850lb·f)
 @6.0kg/cm²(85psi)
 Stroke Length.....18mm(0.55")
 Air Pressure.....6.0~6.5kg/cm² (85~92psi)
 Nosepiece.....3/16"(4.8mm)
 1/4"(6.4mm)
 Weight1.75kg
 Length X Height.....170X298mm
 Air Consumption.....2.908Liter/ Stroke
 Air Hose Size.....1/4"(6.5mm)
 Air Inlet.....1/4"PT

Capacity

Material		Rivet Diameter(mm)					
Rivet	Mandrel	2.0	(2.5) 2.4 3/32"	(3.0) 3.2 1/8"	4.0 3/32"	(5.0) 4.8 3/16"	6.4 1/4"
aluminum	aluminum	✗	✗	✗	✗	◎	◎
aluminum	steel	✗	✗	✗	✗	◎	◎
steel	steel	✗	✗	✗	✗	◎	◎
stainless	steel	✗	✗	✗	✗	◎	◎
stainless	stainless	✗	✗	✗	✗	◎	◎


Feature

- ✓ For MONOBOLTS rivets, T-rivets, MAGNA-LOK and aircraft rivets.
- ✓ Low recoil of shock-less can reduce parts consumed and minimise fatigue.

ARX-190
3/16" Heavy Duty Air Hydraulic Riveter

Traction Power..... 953kg·f(2,000lb·f)
@5.2kg/cm² (75psi)

Stroke Length..... 15mm(0.59")

Air Pressure..... 75~95psi(5.2~6.7kg/cm²)

Nosepiece..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

Weight. 1.46kg

Length X Height..... 290X250mm

Air Consumption..... 0~4cfm

Capacity..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

in all materials

Feature

✓ Design with ergonomics.

✓ Set 3/16"and 3/32"to structure around Monobolt rivets, T type rivets and standard rivets in all materials.

✓ Low recoil of shock-less can reduce parts consum and minimise fatigue.


ARX-270
3/16" Heavy Duty Air Hydraulic Riveter

Traction Power..... 953kg·f(2,000lb·f)
@5.2kg/cm² (75psi)

Stroke Length..... 23.5mm(0.925")

Air Pressure..... 75~95psi(5.2~6.7kg/cm²)

Nosepiece..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

Weight. 1.55kg

Length X Height..... 165X270mm

Air Consumption..... 0~4cfm

Capacity..... 3/32"(2.4mm)

1/8"(3.2mm)

5/32"(4.0mm)

3/16"(4.8mm)

Feature

✓ Design with ergonomics.

✓ Set 3/16"and 3/32"to structure around Monobolt rivets, T type rivets and standard rivets in all materials.

✓ Low recoil of shock-less can reduce par consum and minimise fatigue.


ARX-380
5/16" Heavy Duty Air Hydraulic Riveter

Traction Power..... 1,723kg·f(3,800lb·f)
@5.2kg/cm² (75psi)

Stroke Length..... 22.5mm(0.88")

Air Pressure..... 75~95psi(5.2~6.7kg/cm²)

Nosepiece..... 3/16"(4.8mm)

7/32"(5.6mm)

1/4"(6.4mm)

5/16"(7.8mm)

Weight. 1.88kg

Length X Height..... 305X310mm

Air Consumption..... 0~4cfm

Capacity..... 3/16"(4.8mm)

7/32"(5.6mm)

1/4"(6.4mm)

5/16"(7.8mm)

Feature

✓ Largest power 3,800lb·f.

✓ Long stroke 22.5mm

✓ Set 3/16"and 5/16"to structure around Monobolt rivets, T type rivets and standard rivets in all materials.

✓ Low recoil of shock-less can reduce parts consum and minimise fatigue.



ARX-0123A
M4~M10 Air Nut Riveter

Traction Power.....1,650kg·f(3,638lb·f)
 @5.5kg/cm² (78psi)

Stroke Length.....5~10mm(0.2"~0.4")

Air Pressure.....(5.5~6.5kg/cm²)78~92psi

Nosepiece.....M4,M5,M6,M8,M10

Weight.....1.55kg

Length X Height.....190X270mm

Air Consumption.....1.48L/Cycle

Air Inlet.....1/4"PT

M3 nosepiece is optional.

Capacity

Steel Rivet Nut :
 Min. M4 Max. M10

Stainless Rivet Nut :
 Min. M4 Max. M10

Features

- ✓ ARX-0123A could use M3 besides M4~M10.


Accessories:
ARX-VC1
Spent Mandrel Bottle

(for ARX-200NV & ARX-614V)

Feature

- ✓ The material is PC.


ARX-VC2
Spent Mandrel Bottle

(for ARX-200NV & ARX-614V)

Feature

- ✓ The material is PE.



ARX-515**Air Palm Hammer**

Blow Per Minute..... 1,000B.P.M.
Height..... 92mm
Net Weight. 1kg
Air Pressure..... 30~125psi
Air Consumption..... 2~4cfm
Air Inlet.....1/4"PT

**ARX-516****Air Palm Nailer**

Blow Per Minute..... 1,000B.P.M.
Net Weight..... 1.25kg
O.P. Pressure..... 50~125psi
Air Consumption..... 2~4cfm
Air Inlet.....1/4"PT

**ARX-131K****1/2" Air Scraper**

Bore Diameter..... 1/2"
Hose Size..... 3/8"
Blows Per Minutes..... 4,800B.P.M.
Strokes Length 43mm
Overall Length..... 248mm
Net Weight..... 0.7kg
Sound Pressure..... 86dBA
Air Pressure..... 90psi
Air Consumption..... 4.5cfm
Air Inlet.....1/4"PT
Vibration..... 30m/s²



ARX-AD4B**4" Air Duster**

Nozzle Length..... 4"
Nozzle Material..... steel
Body Material..... Plastic P.O.M
Working Pressure..... 75~120psi
Max Pressure..... 150psi
Air Consumption..... 2~4cfm
Sound Pressure..... 85~88dBA
Air Inlet..... 1/4"PT
Temperature Range..... -40°C~60°C

**ARX-AD2006****4" Air Duster**

Nozzle Length..... 4"
Nozzle Material..... steel
Body Material..... Nylon Fiber
Working Pressure..... 70~120psi
Max Pressure..... 220psi
Sound Pressure..... 85~90dBA
Air Consumption..... 2~4cfm
Air Inlet..... 1/4"PT
Temperature Range..... -40°C~60°C

**ARX-AD20B****20" Air Duster**

Nozzle Length..... 20"
Nozzle Material..... steel
Body Material..... Plastic P.O.M
Working Pressure..... 75~120psi
Max Pressure..... 150psi
Sound Pressure..... 85~88dBA
Air Consumption..... 2~4cfm
Air Inlet..... 1/4"PT
Temperature Range -40°C~60°C



ARX-AD2005
20" Air Duster

Nozzle Length..... 20"
 Nozzle Material..... steel
 Body Material..... Nylon Fiber
 Working Pressure..... 75~120psi
 Max Pressure..... 220psi
 Sound Pressure..... 85~90psi
 Air Consumption..... 2~4cfm
 Air Inlet..... 1/4"PT
 Temperature Range..... -40°C~60°C


ARX-2007
Blow Gun

Recommend Air Compressure..... Min 1HP
 Recommend Air Pressure..... 90psi
 Net Weight..... 0.3kg
 Air Consumption..... 17cfm
 Air Inlet..... 1/4"PT

Features

- ✓ **Blow**
 - Cleaning: blow chips or metal scraps away in designated area
 - Cooling
 - Drying
- ✓ **Suction**
 - Vacuum: collection of dust, sand, fragments
- ✓ **Transferring**
 - Conveying: Powder, plastic beads / granule, food
 - Discharge


ARX-2007K
Blow Gun Kit

Recommend Air Compressure..... Min 1HP
 Recommend Air Pressure..... 90psi
 Net Weight..... 0.3kg
 Air Consumption..... 17cfm
 Air Inlet..... 1/4"PT
 Accessory.... 1 Vacuum Hose (Hose Length: 1.25M)
 4 Nozzle
 2 Hose Clamp
 1 Dust Bag



ARX-3007**Blow Gun**

Air Pressure..... 90psi
Net Weight..... 0.8kg
Air Inlet..... 1/4" PT

Features

- ✓ Durable Aluminum Gun body with new design of vacuum/blow two way function's knob (patent pending) for easy operation.
- ✓ Hi-performance vacuum tube & brush to provide excellent function of vacuum and meet environmental protection needed.
- ✓ Suitable for special using of High Air Pressure or normal 90PSI using.

**ARX-3007K****Blow Gun Kit**

Air Pressure..... 90psi
Net Weight..... 0.8kg
Air Inlet..... 1/4" PT
Accessory..... Extension Tube
Small Diameter Vacuum Tube
Flat Tube

**Features**

- ✓ Durable Aluminum Gun body with new design of vacuum/blow two way function's knob (patent pending) for easy operation.
- ✓ Hi-performance vacuum tube & brush to provide excellent function of vacuum and meet environmental protection needed.
- ✓ Suitable for special using of High Air Pressure or normal 90PSI using.

ARX-AB119
Air Brush Kit

Fluid Nozzle..... 03.mm
 Net Weight..... 0.45kg
 Working Pressure..... 15~30psi
 Cup Capacity..... 22 & 55c.c.
 Cup Fix..... detachable
 Air Inlet..... 1/4"PT
 Content..... 1 PC Air Brush
 1 PC Adaptor
 2 PCS 22c.c. & 55c.c.Cup
 1 PC 5" Air Hose Set
 1 PC Holder


ARX-AB119K
Air Brush Utility Kit

Fluid Nozzle..... 03.mm
 Net Weight..... 0.45kg
 Working Pressure..... 15~30psi
 Cup Capacity..... 22 & 55c.c.
 Cup Fix..... detachable
 Air Inlet..... 1/4"PT
 Content..... 1 pc Air Brush
 1 pc Adaptor
 2 pcs 22c.c. & 55c.c.Cup
 1 pc 5" Air Hose Set
 1 pc Holder
 1 pc Brush
 4 pcs Small Glass Jar 22c.c.
 2 pcs Cleaner
 9pcs Art Knives
 1 set Oil Box


ARX-AB115
Air Brush Kit

Fluid Nozzle..... 0.3mm
 Net Weight..... 0.6kg
 Working Pressure..... 15~30psi
 Air Consumption..... 0.4~0.8cfm
 Cup Capacity..... 22c.c.
 Cup Fix..... Side Screw Fix
 Air Inlet..... 1/4"PT
 Content..... 1 pc Air Brush
 1 pc Adaptor
 1 pc 22c.c. Cup
 1 pc Regulator
 1 pc 5" Air Hose Set
 1 pc Wrench
 1 pc Manual



ARX-AB116**Air Brush Kit**

Fluid Nozzle..... 0.2mm
Net Weight..... 0.6kg
Working Pressure..... 15~30psi
Air Consumption..... 0.4~0.8cfm
Cup Capacity..... 5 & 10c.c.
Cup Fix..... Side Screw Fix
Air Inlet..... 1/4"PT
Content.....
1 pc Air Brush
2 pc Adaptor
2 pcs 5 & 10c.c. Cup
1 pc Wrench



ARX-HY191**Air Engine Cleaning Gun**

Canister Capacity..... 0.7 Liter
Net Weight..... 0.6kg
Working Pressure..... 85~100psi
Air Inlet..... 1/4"PT

**ARX-805****Air Engine Cleaning Gun**

Tube of Length 1.5m
Net Weight..... 0.46kg
Working Pressure..... 60~120psi
Air Inlet..... 1/4"PT



ARX-506C
Air Grease Gun

Pressure Range..... Input 60~150psi
 Output 2,400~6,000psi
 Working Pressure..... Input 90psi
 Output 3,600psi
 Net Weight..... 2.16kg
 Cartridge Loading..... 14 o.z.
 Bulk Loading..... 400c.c.


ARX-A500BM
Air Grease Gun

Pressure Range..... Input 60~150psi
 Output 2,400~6,000psi
 Working Pressure..... Input 90psi
 Output 3,600psi
 Net Weight..... 2.16kg
 Cartridge Loading..... 14 o.z.
 Bulk Loading..... 400c.c.


ARX-3001
Air Grease Gun

Pressure Range..... Input 30~150psi
 Output 1,200~6,000psi
 Working Pressure..... Input 90 psi
 Output 3,600psi
 Net Weight..... 1.58kg
 Cartridge Loading..... 16 o.z.
 Bulk Loading..... 500c.c.



ARX-A308B**Air Grease Gun**

Pressure Range..... Working 4,500psi
 Burst 10,000psi
Net Weight..... 1.64kg
Cartridge Loading..... 16 o.z.
Bulk Loading..... 800c.c.

**ARX-A302****Air Grease Gun**

Pressure Range..... Working 3,000psi
 Burst 4,000psi
Net Weight, 1kg
Bulk Loading..... 150c.c.



ARX-OTP500**Oil Transfer Pump**

Capacity..... 500c.c.
Finish..... Silver Anodizing Process
Net Weight..... 0.66kg

**ARX-OSG200****Oil Suction Gun**

Capacity..... 200c.c.
Finish..... EBD (Black)
Net Weight..... 0.33kg

**ARX-OSG500****Oil Suction Gun**

Capacity..... 500c.c.
Finish..... Electric Plated
Net Weight..... 0.77kg



ARX-OSG1000**Oil Suction Gun**

Capacity..... 1000c.c.
Finish..... Electric Plated
Net Weight..... 0.33kg



ARX-FR100
1.6mm Detail & Touch up Spray Gun

Fluid tip Size..... Ø1.6mm
 Capacity of Cup..... 0.24L
 Net Weight..... 0.52kg
 Air Pressure..... 50psi
 Air Consumption..... 3.75cfm
 Air Inlet..... 1/4" PT
 Type..... Suction

★Optional Nozzle Size: Ø1.3mm, Ø1.6mm


ARX-YD71S
1.5mm Spray Gun

Fluid tip Size..... Ø1.5mm
 Capacity of Cup..... 0.7L
 Net Weight..... 0.75kg
 Air Pressure..... 43~50psi
 Air Consumption..... 6.3~8.1cfm
 Air Inlet..... 1/4" PT
 Fluid Inlet..... 1/4" PT
 Type..... Suction

★Optional Nozzle Size: Ø1.0mm, Ø1.3mm,
Ø1.8mm, Ø2.0mm


ARX-FR102
1.6mm Spray Gun

Fluid tip Size..... Ø1.6mm
 Capacity of Cup..... 1.0L
 Net Weight..... 1.1kg
 Air Pressure..... 50~70psi
 Air Consumption..... 10~12.7cfm
 Air Inlet..... 1/4" PT
 Fluid Inlet..... 3/8" PT
 Type..... Suction

★Optional Nozzle Size: Ø1.0mm, Ø1.5mm,
Ø1.8mm, Ø2.0mm



ARX-YD77S
2.0mm Spray Gun

Fluid tip Size..... Ø2.0mm
 Capacity of Cup..... 1.0L
 Net Weight..... 0.95kg
 Air Pressure..... 50psi
 Air Consumption..... 8.8cfm
 Air Inlet..... 1/4" PT
 Fluid Inlet..... 3/8" PT
 Type..... Suction

★Optional Nozzle Size: Ø1.5mm, Ø2.5mm


ARX-FR200
0.8mm Spray Gun

Fluid tip Size..... Ø0.8mm
 Capacity of Cup..... 0.125L
 Net Weight..... 0.4kg
 Air Pressure..... 30psi
 Air Consumption..... 4cfm
 Air Inlet..... 1/4" PT
 Fluid Inlet..... M14 x 1.0

★Optional Nozzle Size: Ø0.5mm, Ø1.0mm


ARX-YD400
1.4mm Spray Gun

Fluid tip Size..... Ø1.4mm
 Capacity of Cup..... 0.6L
 Net Weight..... 0.63kg
 Air Pressure..... 29~43psi
 Air Consumption..... 9.9~13.1cfm
 Air Inlet..... 1/4"PT
 Fluid Inlet..... M16 x 1.5
 Type..... Gravity

★Optional Nozzle Size: Ø1.2mm, Ø1.6mm,
Ø1.8mm



ARX-YD71G
1.5mm Spray Gun

Fluid tip Size..... Ø1.5mm
 Capacity of Cup..... 0.25L
 Net Weight..... 0.6kg
 Air Pressure..... 43~50psi
 Air Consumption..... 6.3~8.1cfm
 Air Inlet..... 1/4"PT
 Fluid Inlet..... 1/4"PT
 Type..... Gravity

★Optional Nozzle Size: Ø1.0mm, Ø1.3mm,
Ø1.8mm, Ø2.0mm


ARX-YD77G
2.0mm Spray Gun

Fluid tip Size..... Ø2.0mm
 Capacity of Cup..... 0.4L
 Net Weight..... 0.95kg
 Air Pressure..... 50psi
 Air Consumption..... 8.6cfm
 Air Inlet..... 1/4" PT
 Fluid Inlet..... 1/4" PT
 Type..... Gravity

★Optional Nozzle Size: Ø1.5mm, Ø2.0mm


ARX-FR107
2.0mm Spray Gun

Fluid tip Size..... Ø2.0mm
 Capacity of Cup..... 0.6L
 Net Weight..... 0.7kg
 Air Pressure..... 60psi
 Air Consumption..... 10.19cfm
 Air Inlet..... 1/4" PT
 Type..... Gravity

★Optional Nozzle Size: Ø1.4mm, Ø1.7mm,
Ø2.0mm



ARX-3058**1.0mm HVLP Spray Gun**

Fluid tip Size..... Ø1.0mm
Net Weight..... 0.5kg
Air Pressure..... 15~28psi
Air Consumption..... 9.2cfm
Air Inlet..... 1/4" PT
Fluid Inlet..... 3/8" PT
Type..... Pressure

**ARX-3057****1.4mm HVLP Spray Gun**

Fluid tip Size..... Ø1.4mm
Net Weight..... 0.5kg
Air Pressure..... 15~28psi
Air Consumption..... 9.2cfm
Air Inlet..... 1/4" PT
Fluid Inlet..... 1/4" PT
Type..... Gravity



ARX-2001/1K**Air Sand Blaster Kit**

Hose..... 3048mm
Net Weight..... 1.08kg
Pick up Tube..... 15-1/2"
Air Inlet..... 1/4"PT
Type..... Suction

**ARX-2002/S****Spot Sand Blaster**

Air Connection..... 1/4"
Net Weight..... 0.9kg
Air Pressure..... 88psi
Working Pressure..... 58~175psi
Max Consumption..... 11.9cfm

**ARX-2004****Spark Plug Sand Blaster**

Net Weight..... 0.6kg
Packing..... 12Pcs/CTN,
N.W.:7.5kg, G.W.:8.5kg CUFT:1.8'



ARX-SB320**Pressure Sand Blaster 10 Gallons**

Tank Capacity..... 10 Gallons
Hose Size..... Ø1/2"
Nozzle Size..... Ø 2.4 / 2.7 / 3.2 / 3.6 mm
Range of blasting pressure..... 65~125psi
Maximum Pressure..... 250psi
Net Weight 18kg

**ARX-SB520****Pressure Sand Blaster 20 Gallons**

Tank Capacity..... 20 Gallons
Hose Size..... Ø1/2"
Nozzle Size..... Ø 2.4 / 2.7 / 3.2 / 3.6 mm
Range of blasting pressure..... 65~125psi
Maximum Pressure..... 250psi
Net Weight 22kg

**ARX-SBHA****Protective Sand Blast Hood**

(for ARX-SB320 and ARX-SB520)
Packing..... 6Pcs/CTN,
N.W.:3kg, G.W.:5kg, CUFT:2.9'



ARX-SBHB**Deluxe Sand Blast Hood**

(For ARX-SB320 and ARX-SB520)

Packing..... 6Pcs/CTN,

N.W.:4.2kg, G.W.:6.3kg CUFT:2.9'

**ARX-SBHC****Sand Blast Hood**

(For ARX-SB320 and ARX-SB520)

Packing..... 50Pcs/CTN,

N.W.:12kg, G.W.:14kg CUFT:2.5'

**ARX-SBG512****New Type Sanding Gun**

(For ARX-SB320 and ARX-SB520)

Packing..... 6Pcs/CTN,


N.W.:4.2kg, G.W.:6.3kg CUFT:2.9'



ARX-SBN4**Ceramic Nozzle**

Nozzle Size.....

Ø 2.4 mm, Ø 2.7 mm, Ø 3.2 mm, Ø 3.6 mm

**ARX-10MH****10m Long Sand Hose**

(for ARX-SB320 AND ARX-SB520)

Hose Size..... Ø 1/2" x 2N x 10ML



AD-309M
3/8" Dr. Long Metric Impact Sockets Set
8PCS

Specifications:

10, 11, 12, 13, 14, 15, 16, 17 mm

★Packing:

20Set, N.W.: 22.2kg, G.W.: 22.7kg CUFT:0.57'

1PC Metal Box


ASD-333CB
3/8" Dr. Combination Metric & S.A.E
Sockets Set 32PCS

Specifications:

3/8" Dr. Long & Short Impact Socket (Metric):

8, 10, 11, 12, 13, 14, 17, 19 mm

3/8" Dr. Long & Short Impact Socket (SAE):

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

★Packing:

5Set, N.W.: 16kg, G.W.: 17kg CUFT:1.04'

1PC Blow Case


AS-411MB
1/2" Dr. Metric Impact Sockets Set
10PCS

Specifications:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

★Packing:

12Set, N.W.:15kg, G.W.:16kg CUFT:0.8'

1 Pcs Blow Case



AS-411SB
1/2" Dr. Imperial Impact Sockets Set
10PCS

Specifications:

7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

★Packing:

12Set, N.W.: 15kg, G.W.: 16kg CUFT:0.8'

1 Pcs Blow Case


AD-411MB
1/2" Dr. Long Metric Impact Sockets Set
10PCS

Specifications:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

★Packing:

10Set, N.W.: 25kg, G.W.: 26kg CUFT:0.86'

1 PC Blow Case


AD-411SB
1/2" Dr. Long Imperial Impact Sockets
Set 10PCS

Specifications:

7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

★Packing:

10Set, N.W.: 26kg, G.W.: 27kg CUFT: 0.86'

1 PC Blow Case



AD-414S
1/2" Dr. Long Imperial Impact Sockets
Set 13PCS

Specifications:

 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",
 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

★Packing:

6Set, N.W.: 25kg, G.W.: 25.5kg CUFT: 0.66'

1 PC Metal Case


AD-415M
1/2" Dr. Long Metric Impact Sockets Set
14PCS

Specifications:

 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24,
 27, 30 mm

★Packing:

5Set, N.W.: 20.5kg, G.W.: 21kg CUFT: 0.57'

1 PC Metal Case


AS-419C
1/2" Dr. Combination Metric & Imperial Sockets Set 18PCS

Specifications:

 9 Pcs 6 Point Metric Short Sockets:
 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

9 Pcs 6 Point SAE Short Sockets:

 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16",
 1"

★Packing:

10Set, N.W.: 22kg, G.W.: 23kg CUFT:0.89'

1 PC Metal Case



AS-4011M
1/2" Dr. Metric Impact Sockets Set 10PCS

Specifications:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

★Packing:

10Set, N.W.:14.2kg, G.W.:14.7kg, CUFT: 0.57'

1 PC Metal Case


AS-4011S
1/2" Dr. Imperial Impact Sockets Set
10PCS

Specifications:

 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",
 15/16", 1"

★Packing:

10Set, N.W.:17kg, G.W.:18kg CUFT: 0.77'

1 PC Metal Case


AD-4011MB
1/2" Dr. Long Metric Impact Sockets Set
10PCS

Specifications:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

★Packing:

5Set, N.W.:15kg, G.W.:16kg CUFT:0.5'

1 PC Blow Case



AD-4011SB
1/2" Dr. Long Imperial Impact Sockets
Set 10PCS

Specifications:

 7/16" ,1/2" ,9/16" ,5/8" ,11/16" ,3/4" ,13/16" , 7/8"
 ,15/16" ,1"

★Packing:

 5Set, N.W.:15kg, G.W.:16kg CUFT: 0.5'
 1 PC Blow Case

AD-4014MB
1/2" Dr. Long Metric Impact Sockets Set
13PCS

Specifications:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 mm

★Packing:

 5Set, N.W.:18kg, G.W.:18.5kg CUFT: 1.12'
 1 PC Blow Case

AD-4014SB
1/2" Dr. Long Imperial Impact Sockets
Set 13PCS

Specifications:

 7/16" ,1/2" ,9/16" ,5/8" ,11/16" ,3/4" ,13/16" ,7/8"
 ,15/16" ,1" , 1-1/16" ,1-1/8" ,1-1/4"

★Packing:

 5Set, N.W.:19.5kg, G.W.:20kg CUFT: 1.12'
 1 PC Blow Case


ASD-4022MB
**1/2" Dr. Long and Short Metric Impact
Sockets Set 21PCS**

Specifications:

10 Pcs 6 Point Long Sockets:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

10 Pcs 6 Point Short Sockets:

12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

1 Pcs 1/2"Dr. x 5" Extension Bar

★Packing:

5Set, N.W.:19.5kg, G.W.:20kg CUFT:1.21'

1 PC Blow Case


ARX-40003LIMA
**1/2" Dr. Extra Long Wheel Nut Impact
Deep Sockets Set 3PCS**

Specifications:

17mm Blue, 19mm Green, 21mm Red

★Packing:

20Set, N.W.:18.5kg, G.W.:19kg CUFT: 0.82'

1 PC Blow Case


AS-6009M
3/4" Dr. 6Pt. Impact Socket Set 8PCS

Specifications:

26, 27, 29, 30, 32, 35, 36, 38mm (Metric)

★Packing:

4Set, N.W.:19.5kg, G.W.:20.5kg CUFT: 0.5'

1PC Metal Box: 241 x 124 x 68mm



AS-6009S
3/4" Dr. 6Pt. Impact Socket Set 8PCS

Specifications:

1", 1-1/16", 1-1/8", 1-1/4", 1-5/16" 1-3/8", 1-7/16", 1-1/2"

★Packing:

 4Set, N.W.:19.5kg, G.W.:20.5kg CUFT: 0.5'
 1PC Metal Box: 9-1/2" x 4-7/8" x 2-11/16"

AD-6009M
**3/4" Dr. 6Pt. Long Impact Socket Set
8PCS**

Specifications:

26, 27, 29, 30, 32, 35, 36, 38mm (Metric)

★Packing:

 2Set, N.W.:14.8kg, G.W.:15.8kg CUFT: 0.3'
 1Pc Metal Box: 410 x 100 x 63mm

AD-6009S
**3/4" Dr. 6Pt. Long Impact Socket Set
8PCS**

Specifications:

1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

★Packing:

 2Set, N.W.:14.8kg, G.W.:15.8kg CUFT: 0.3'
 1Pc Metal Box: 410 x 100 x 63mm


AS-6017M
3/4" Dr. 6Pt. Impact Socket Set 32PCS

Specifications:

 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41,
 46, 50mm

★Packing:

 1Set, N.W.:19.5kg, G.W.:20.5kg CUFT: 0.4'
 1Pc Metal Box: 534 x 125 x 78mm

AS-8008M
1" Dr. 6Pt Impact Socket Set 7PCS

Specifications:

24, 27, 29, 32, 35, 36, 38mm (Metric)

★Packing:

 4Set, N.W.:22.5kg, G.W.:23.5kg CUFT: 0.5'
 1Pcs Metal Box: 241 x 124 x 68mm

AS-8008S
1" Dr. 6Pt Impact Socket Set 7PCS

Specifications:

 15/16", 1-1/16", 1-3/16", 1-1/4", 1-3/8", 1-7/16", 1-1/2"
 (SAE)

★Packing:

 4Set, N.W.:22.5kg, G.W.:23.5kg CUFT: 0.5'
 1Pc Metal Box: 9-1/2" x 4-7/8" x 2-11/16"


ARX-IBS40010HM**10Pcs 1/2" Dr. Impact Metric Hex Socket Bit Set****Contents :****SIZE:**(Hex) 4, 5, 6, 7, 8, 10, 12,
14, 17, 19 mm (60mmL)

Chrome-Molybdenum
Steel for High power
Tools Using !

**ARX-IBS40010HS****10Pcs 1/2" Dr. Impact SAE Hex Socket Bit Set****Contents :****SIZE:**(Hex) 5/32" 3/16" 1/4" 5/16" 3/8"
7/16" 1/2" 9/16" 5/8" 3/4"(60mmL)

Chrome-Molybdenum
Steel for High power
Tools Using !



ARX-2032 / ARX-2032L
2 in 1 Professional Air Caulking Gun [ARX-2032]/ [ARX-2032L]

Air Hose.....	1/4"
Cartridge.....	9"- 310ml 11"-400ml 13"-500ml
Sachet.....	9"-310~400ml 11"-310~500ml 13"-310~600ml 15"-310~800ml
Net Weight.....	0.82kg 0.8kg
Overall Length.....	325mm 300mm
Air Pressure.....	45~90psi
Air Inlet.....	1/4"PT

ARX-2032
ARX-2032L

ARX-2031 / ARX-2031L
2 in 1 Professional Air Caulking Gun [ARX-2031]/ [ARX-2031L]

Air Hose.....	1/4"
Cartridge.....	9"- 310ml 11"-400ml 13"-500ml
Sachet.....	9"-310~400ml 11"-310~500ml 13"-310~600ml 15"-310~800ml
Net Weight.....	0.84kg 0.82kg
Overall Length.....	245~355mm 275~285mm
Air Pressure.....	45~90psi
Air Consumption.....	6cfm
Air Inlet.....	1/4"PT

ARX-2031
ARX-2031L

ARX-2033
3 in 1 Professional Air Caulking Gun [ARX-2033]

Air Hose.....	1/4"
Cartridge.....	9"-310ml 11"-400ml 13"-500ml
Sachet.....	9"-310~400ml 11"-310~500ml 13"-310~600ml 15"-310~800ml
Net Weight.....	9"-1.1kg 11"-1.2kg 13-1.3kg
Overall Length	9"-386mm 11"-416mm 13"-486mm
Air Pressure.....	60~90psi
Air Consumption.....	6cfm
Air Inlet.....	1/4"



Quick Hose Socket

ARX-20SH Size.....5/16" Hose
ARX-30SH Size.....3/8" Hose

Material:

Steel


Quick Socket

ARX-20SF Size.....1/4"PT
ARX-30SF Size.....3/8"PT
ARX-40SF Size.....1/2"PT

Female Thread

Quick Socket

ARX-20SM Size.....1/4"PT
ARX-30SM Size.....3/8"PT
ARX-40SM Size.....1/2"PT

Male Thread



Material:
Steel

Quick Plug

ARX-20PH Size.....5/16" Hose
ARX-30PH Size.....3/8" Hose

Material:

Steel


Quick Plug

ARX-20PF Size.....1/4"PT
ARX-30PF Size.....3/8"PT
ARX-40PF Size.....1/2"PT

Female Thread

Material:
Steel

Quick Plug

ARX-20PM Size.....1/4"PT
ARX-30PM Size.....3/8"PT
ARX-40PM Size.....1/2"PT

Male Thread



Material:
Steel

ARX-APF2

Mini Style Quick Plug
Female Thread


ARX-APM2

Mini Style Quick Plug
Male Thread 1/4" PT


ARX-RG02

Regulator
Size:(1/4" M x 1/4" F)
Max.Pressure:300psi


**ARX-SHC Swivel Hose Connector
For Air Coupler**

Size..... 5.0 x 8.0mm
..... 8.0 x 12.0mm
..... 6.5 x 10.0mm

Material:
Brass

1/4"
Male Thread


ARX-YL2

Multipass Quick Coupler
Size.....1/4"PT

Material:
Steel


ARX-YL3

Multipass Quick Coupler
Size.....1/4"PT

Material:
Steel


Swivel Connector

ARX-SWL12 Size.....1/2"
ARX-SWL14 Size.....1/4"
ARX-SWL38 Size.....3/8"

Material:
Aluminum


Swivel Connector

ARX-SWL99W Size.....1/4"
ARX-SWL99FC Size.....1/4"

Material:
Aluminum


ARX-22MM Ball Valve

Size:(1/4" x 1/4"PT)

Material:
Brass



Material:
Brass



ARX-P4 MF Reducer

Size:(1/4"x1/8") (3/8"x1/8") (3/8"x1/4")
(1/2"x1/4") (1/2"x3/8") (3/4"x3/8")
(3/4"x1/2") (1"x1/2")

Material:
Brass



Material:
Brass



ARX-P6 MF Adaptor

Size:(1/4"x1/8") (1/4"x1/4") (1/4"x3/8")

Material:
Brass



Material:
Brass


ARX-P11+ +-Type Brass Fitting

Size:(1/8"x1/8"x1/8") (1/4"x1/4"x1/4")
(3/8"x3/8"x3/8")

Material:
Brass



Material:
Brass




ARX-P18 Brass Fitting
Size:(1/4" M x 5/16" H) (1/4" M x 3/16" H)
(1/4" M x 1/4" H) (1/4" M x 3/8" H)

ARX-60CC
Tire Inflator & Deflator

Gauge.....2"Diaphragm Type
Pressure Range.....0~60psig
0~4 kg/cm²


Clip Chuck
ARX-160DC
Truck Tire Inflator & Deflator

Gauge.....2"Diaphragm Type
Pressure Range.....0~120psig
0~8 kg/cm²


Dual Head Chuck
Operation

 Pushing lever
to inflate

 Pushing button
to deflate

ARX-9060
Tire Inflator & Deflator

Gauge.....2"Diaphragm Type
Pressure Range.....0~60psig
0~4 kg/cm²


Clip Chuck
ARX-9160
Truck Tire Inflator & Deflator

Gauge.....2"Diaphragm Type
Pressure Range.....0~120psig
0~8 kg/cm²


Dual Head Chuck
Operation


Half Trigger for Deflation




Full Trigger for Inflation

ARX-70CC
Digital Tire Inflator & Deflator


Gauge.....2"Digital Type
Pressure Range.....2.0~160psig
Accuracy: 2.5~ 80 psi = +/- 1.5psi
81~ 160 psi = +/- 2.0 psi


Features:

Battery life: Panasonic/ Maxell CR2032 will last more than 3200 cycles on/off (auto off periods of 90s), 5-years storage power consumption included.



Strip out the the Rubber Protector from Pressure Gauge

Operation

 On/Off
3sec. push to start
calibration

 Pushing button
to deflate

 Pushing lever
to inflate

MODEL:ARX-344**4" Air Extend Corner Cutter****Specifications**

Free Speed	15,000 RPM
Cutting Wheel Size	4" (100mm)
Disc Hole Size	3/8" (10mm)
Weight	1.38 kg
Length	370 mm
Sound Level	<105 dBA
Power	0.7HP(522W)
Air Consumption	4.9 CFM
Air Inlet	1/4"PT or NPT

Good for limited space parts cutting**Features**

- ✓ Patent Design Head for observing cutting situation easier.

✓ 0.7HP (522W)
High Power.



- ✓ Spindle Lock button for cutting disc changing easily.

» MODEL:ARX-345

4" Air Straight Cut-Off Tool



Specifications

Disc Diameter	4" (101mm)
Motor Power	0.7 HP (522kW)
Speed	14,000 rpm
Weight	0.93 kg
Length	240 mm
Air Consumption	4.5 CFM
Air Inlet	3/8"
Noise Level	85 dB

- ✓ 0.7HP (522W) Strong Motor Power.
- ✓ Quick Swivel Guard.
- ✓ Spindle Lock button for cutting disc changing easily.

Features

Quick Swivel Guard.



0.7HP (522W)
High Power.



Spindle Lock button for
cutting disc changing easily.

5 " Durability Industrial Angle Grinder



Specifications

Disc Diameter	5" (127mm)
Motor Power	1HP (1,46W)
Speed	12,000 rpm
Weight	1.9 kg
Length	270 mm
Air Consumption	4.22 CFM
Air Inlet	3/8"
Noise Level	70 dB

Features



Guaranteed Quality & Performance



ARX-866

120 Degrees 5 " High Power Industrial Angle Grinder



Specifications

Disc Diameter	5" (127mm)
Motor Power	1.75 HP (1,267W)
Speed	12,000 rpm
Weight	1.72 kg
Length	260 mm
Air Consumption	4 CFM
Air Inlet	3/8"
Noise Level	77 dB

Features



✓ Spindle lock button for replacing grinding discs easily.



Guaranteed Quality & Performance



ARX-865

5 inch High Power Industrial Angle Grinder



Specifications

Disc Diameter	5" (127mm)
Motor Power	1.75 HP (1300kW)
Speed	12,000 rpm
Weight	1.5 kg (W/O hose) 2.0 kg (W/ hose)
Length	265 mm
Air Consumption	5 CFM
Air Inlet	3/8"
Noise Level	77 dB

- *Most High Power 5" Air Angle Grinder in the World.
- *1.75HP (1300W) Strong Motor Power.
- *1.5kg Light Weight.
- *High Strength precise Gear Set for long Durability.

Features



Guaranteed Quality & Performance



Professional Tools

Guaranteed Quality & Performance

MODEL:ARX-2130S

3/8" Dr. Mini Impact Wrench

Specifications

Driver	3/8"
Speed	10,000 rpm
Max Torque	678N·m (500ft-lb)
Working Torque (5 sec.)	407N·m (300ft-lb)
Weight	1.35 kg
Length	98mm
Air Inlet	1/4"PT or NPT



MODEL:ARX-2131

1/2" Dr. Mini Impact Wrench

Specifications

Driver	1/2"
Speed	10,000 rpm
Max Torque	678N·m (500ft-lb)
Working Torque (5 sec.)	407N·m (300ft-lb)
Weight	1.33kg
Length	175x70x190mm
Air Inlet	1/4"PT or NPT



MODEL:ARX-2135

1/2" Dr. Compact Impact Wrench

Specifications

Driver	1/2"
Speed	7,500 rpm
Max Torque	1,356N·m (1,000ft-lb)
Working Torque (5 sec.)	1,084N·m (800ft-lb)
Weight	1.8kg
Length	126mm
Air Inlet	1/4"PT or NPT



ARX-655

1/2"Dr.Composite Impact Wrench



Specifications

Socket Driver	1/2"
Max Torque	950 ft-lb (1288N·m)
Free Speed	8,500 R.P.M.
Overall Length	179 mm
Weight	1.65 kg
Air Inlet	1/4"PT or NPT

**1.65kg Most Light Weight
& 950 ft-lb High Torque**

Features



Spring energised rotor blades for instant, constant and positive sealing to maximise power.

ARX-DP7

7" Diagonal Cutting Pliers


ARX-NP8

8" Long Nose Pliers


ARX-LP9

9" Linesman Pliers


ARX-AB175

 Snap Ring Plier
7" Internal Bend

ARX-AS175

 Snap Ring Plier
7" Internal Straight

ARX-FB175

 Snap Ring Plier
7" External Bend

ARX-FS175

 Snap Ring Plier
7" External Straight

Safety Wire Twisting Plier
ARX-SWTP6" 6" Length
ARX-SWTP9" 9" Length

Locking Plier
ARX-CL302-5 5"
ARX-CL302-7 7"
ARX-CL302-10 10"

 Chrome Vanadium steel drop forged jaws
 Bodily Heat - Treated Nickel plated

ARX-RC123

3Pcs Aviation Snips Pliers Set

 Material:
Cr-V


ARX-WC712**Wire Rope & Spring Wire Cutter**

Length.....7-1/2" (190mm)

Cutting Capacity For Wire Rope.....4mm


Cutting Capacity For Spring Wire....1.5mm

**ARX-MBC8****Midget Bolt Cutter**

Length.....200mm

Cutting Capacity For HRC15°.....3mm

Cutting Capacity For HRC35°2mm

**ARX-KL003****13Pcs Precision Knife Set****ARX-IS700****7" Engineer's Scissors**Non-slip
serrated blade

ARX-KL101
17 Pcs Power Punch Kit

Size.....3/32", 1/8", 5/32",
.....3/16", 7/32", 1/4", 9/32"


ARX-8PP
8pcs Pin Punch Set

Size.....1.6, 2.3, 3.2, 4.0, 4.8,
.....5.5, 6.4, 8.0mm


ARX-ACP
Automatic Centre Punch

ARX-ACP02
Automatic Centre Punch


Length.....152 mm * 9 mm O.D
Pocket Clip

ARX-KL112
Professional Metal Power Punch

Size....5/32"(4.0), 7/32"(5.6), 9/32"(7.2),
.....11/32"(8.8), 13/32"(10.4),
.....15/32"(12.0), 17/32"(13.5)


ARX-9HP
9 Pcs Hollow Punch

ARX-PP51L
Pin Punch Set


Size:10, 12, 14, 16mm
Overall Length:350mm



Size:IH50-2 (115L), 3 (125L),
4 (150L), 5 (165L),
6 & 8mm (180L)

IH51(120L):2, 3, 4, 5, 6mm

IH55(200L):3, 4, 5, 6, 8, 10mm

ARX-HR107
1/4" Hand Riveter

Traction Power:1580Kg.F/3482Lb.F

Stroke Length:8mm

Nose Piece:1/8"(3.2mm),5/32"(4.0mm),
3/16"(4.8mm),1/4"(6.4mm)
& Kilk-Splik1/4"


ARX-HR01
Hand Riveter Tool

Nose Piece.....3/32"(2.4mm), 1/8"(3.2mm)

5/32"(4.0mm), 3/16"(4.8mm)


ARX-HR01K
Hand Riveter Kit

2.4x5.5, 3.2x6, 4x6, 4.8x6mm

Each@20Pcs


Hand Rivet Nut Tool
ARX-HRN2 (Metric Size)

Size: M3,M4,M5,M6

ARX-HRN2S (Inch Size)

Size: #6-32, #8-32, #10-24, 10-32, 1/4-20


Hand Rivet Nut Tool Kit
ARX-HRN2P (Metric Size)

M3 & M4x@30Pcs, M5 & M6x@20Pcs

ARX-HRN2SP (Inch Size)

#6-32, #8-32, #10-24, 10-32, 1/4-20x@15Pcs


ARX-HRN3P
Economic Blind Nut Tool Kit

Nut Size:

M3x30Pcs

M4x30Pcs

M5x20Pcs

M6x20Pcs


ARX-H93
**Swivel Hand Rivet
& Rivet Nut Tools**

Rivet Size...1/8"(3.2mm), 5/32"(4.0mm)

3/16"(4.8mm), 7/32"(5.5mm), 1/4"(6.4mm)

Nut Size.....M4, M5, M6, M8, M10


ARX-S905
**Swivel Hand Rivet
& Rivet Nut Tools**


Rivet Size...3/32"(2.4mm), 1/8"(3.2mm),
5/32"(4.0mm), 3/16"(4.8mm)

Nut Size.....M3, M4, M5, M6

Blind Rivet Nut
ARX-BNS (Shoulder Type)

No.	Size	Grip Range	A	D	L	H	No.	Size	Grip Range	A	D	L
ARX-BN3S-25	M3*0.5	1.5 ~ 2.5	8.0	5.0	8.5	0.8	ARX-BN3F-25	M3*0.5	1.5 ~ 2.5	6.0	5.0	9.0
ARX-BN4S-25	M4*0.7	1.5 ~ 2.5	9.3	6.0	10.5	0.8	ARX-BN4F-25	M4*0.7	1.5 ~ 2.5	7.0	6.0	10.5
ARX-BN5S-25	M5*0.8	1.5 ~ 2.5	10.3	7.0	11.5	1.0	ARX-BN5F-25	M5*0.8	1.5 ~ 2.5	8.0	7.0	11.5
ARX-BN6S-25	M6*1.0	1.0 ~ 2.5	12.3	9.0	13.5	1.5	ARX-BN6F-25	M6*1.0	1.0 ~ 2.5	10.0	9.0	13.5
ARX-BN6S-40	M6*1.0	2.5 ~ 4.0	12.3	9.0	15.0	1.5	ARX-BN6F-40	M6*1.0	2.5 ~ 4.0	10.0	9.0	15.0
ARX-BN8S-40	M8*1.25	2.5 ~ 4.0	14.3	11.0	16.5	1.5	ARX-BN8F-40	M8*1.25	2.5 ~ 4.0	12.0	11.0	16.5
ARX-BN10S-40	M10*1.5	2.5 ~ 4.0	16.3	13.0	17.0	1.5	ARX-BN10F-40	M10*1.5	2.5 ~ 4.0	14.0	13.0	17.0

Thread size in metric

*With other Size "#3/16", #6-32, #8-32, #10-24, #10-32, #1/4", #5/16", #3/8"

Thread size in metric

Material:
Aluminum



ARX-LN2

Professional Heavy Duty
Quick Drill Blind Nut Tool

Thread Setting Capacity

Metric Size:M5x0.8, M6x1.0
M8x1.25, M10x1.5

Imperial Size for Option

(#8-32,#10-24, #10-32,1/4-20,5/16-18,3/8-16)



Stroke Indicator



Mandrel Thread Indication

ARX-LN3E

Economical Blind Nut Tool

Thread Setting Capacity

Metric Size:M4x0.7, M5x0.8
M6x1.0, M8x1.25

Imperial Size for Option

(#8-32,#10-24, #10-32,1/4-20,5/16-18)



Rubber Hammer

ARX-038 520 Gram
ARX-046 690 Gram
ARX-050 940 Gram
ARX-056 1170 Gram
ARX-060 1400 Gram
ARX-080H Octagonal Head (8Lbs)

**PU Replaceable Hammer**

ARX-25H/65D Strike Face White
ARX-30H
ARX-35H
ARX-40H
ARX-45H
ARX-50H
ARX-55H
ARX-60H

**ARX-7101****Locksmith Hammer**

Length.....300mm



Speed Wrench
ARX-SS150 Length:150mm

ARX-SS200 Length:200mm

ARX-SS250 Length:250mm

ARX-SS300 Length:300mm

Adjustable Wrench
ARX-RPB6 Size....6"

ARX-RPB8 Size....8"

ARX-RPB10 Size....10"

ARX-RPB12 Size....12"

ARX-RPB15 Size....15"

ARX-RPB18 Size....18"

ARX-RPB24 Size....24"

Deep T Socket Wrench
ARX-77410A 10mm

ARX-77419A 19mm

**ARX-T2002M
Folding Lug Wrench**

Size.....5/8" x 14"

Socket.....Metric 17, 19, 21, 23 mm


Pin Spanner Wrench
ARX-PS114 Size...4 1/2" ~ 6 1/4"

ARX-PS113 Size...2" ~ 4 3/4"

ARX-PS112 Size...1 1/4 ~ 3"

ARX-PS111 Size...3/4" ~ 2"

New Master Wrench
ARX-C03-8" Bolt Capacity:10~22mm

ARX-C03-11" Bolt Capacity:17~32mm

T Socket Wrench
ARX-1185010M 10mm

ARX-1185019M 19mm

Hook Spanner Wrench
ARX-HW104 Size...4 1/2" ~ 6 1/4"

ARX-HW103 Size...2" ~ 4 3/4"

ARX-HW102 Size...1 1/4 ~ 3"

ARX-HW101 Size...3/4" ~ 2"

**Slidewinder Speedwrench
W/Knurled Handle**
ARX-21200 Size....1/4"

ARX-21300 Size....3/8"

ARX-21400 Size....1/2"

Speed T Handle
ARX-8193T 3/8" Dr.

ARX-8194T 1/2" Dr.


**ARX-T2002S
Folding Lug Wrench**
Size.....5/8" x 14"
Socket.....Metric 17, 19, 21, 23 mm

**ARX-T2002S
Folding Lug Wrench**
Size.....5/8" x 14"
Socket....SAE 11/16",3/4",13/16",7/8"

**ARX-T2003
Folding Lug Wrench**
Size.....5/8" x 20"
Socket.....Metric 17, 19, 21, 23 mm



ARX-HKS
25 Pcs Metric & SAE Hex Wrench Set

13Pcs Metric Size:

1.5mm x 45 x 14
2.0mm x 50 x 16
2.5mm x 56 x 18
3.0mm x 63 x 20
4.0mm x 70 x 25
4.5mm x 75 x 26
5.0mm x 80 x 28
5.5mm x 85 x 30
6.0mm x 90 x 32
7.0mm x 95 x 34
8.0mm x 100 x 36
9.0mm x 106 x 38
10.0mm x 112 x 40

12Pcs SAE Size:

1/16" x 77 x 14
5/64" x 83 x 16
3/32" x 90 x 18
7/64" x 94 x 19
1/8" x 96 x 20
9/64" x 102 x 22
5/32" x 105 x 24
3/16" x 115 x 26
7/32" x 124 x 28
1/4" x 133 x 30
5/16" x 154 x 36
3/8" x 170 x 40

ARX-BHKS
25 Pcs Long Arm Ball Point Hex Key Set

13Pcs Metric Size:

1.5mm x 77 x 14
2.0mm x 83 x 16
2.5mm x 90 x 18
3.0mm x 96 x 20
4.0mm x 105 x 25
4.5mm x 112 x 26
5.0mm x 115 x 28
5.5mm x 124 x 30
6.0mm x 133 x 32
7.0mm x 137 x 34
8.0mm x 154 x 36
9.0mm x 156 x 38
10.0mm x 170 x 40

12Pcs SAE Size:

1/16" x 77 x 14
5/64" x 83 x 16
3/32" x 90 x 18
7/64" x 94 x 19
1/8" x 96 x 20
9/64" x 102 x 22
5/32" x 105 x 24
3/16" x 115 x 26
7/32" x 124 x 28
1/4" x 133 x 30
5/16" x 154 x 36
3/8" x 170 x 40

Torx (Star Type) Key Wrench Set
ARX-TX100-010
10 Pcs Short Arm Series

Content :T-09,T-10,T-15,T-20,T-25,
T-27,T-30,T-40,T-45,T-50


ARX-TF200-10
10 Pcs Long Arm Series

Content :T-09,T-10,T-15,T-20,T-25,
T-27,T-30,T-40,T-45,T-50


Half Moon Offset Box Wrench Set
ARX-HMW1021

Size:10x12, 11x13, 14x17, 16x18, 19x21mm

ARX-HMW1022

Size:10x12, 11x13, 14x17, 16x18, 19x22mm


Half Moon Offset Box Wrench Set
ARX-SP02M

Size:8x10, 11x13, 14x15, 17x19, 21x22mm

ARX-SP02S

Size:5/16"x3/8", 7/16"x1/2", 9/16"x5/8"
11/16"x3/4", 13/16"x7/8"


ARX-CW387
3/8" Crowfoot Nut Wrench
W/Holder

Size.....10, 11, 12, 13, 14, 15, 16 mm



ARX-1514CM
14Pcs 15° Offset 12PT Metric Combination Wrench Set

Contents

Size (mm)=D	Length (mm)	Item No.
6	105	ARX-1506CW
7	115	ARX-1507CW
8	125	ARX-1508CW
9	135	ARX-1509CW
10	145	ARX-1510CW
11	155	ARX-1511CW
12	165	ARX-1512CW
13	175	ARX-1513CW
14	185	ARX-1514CW
15	195	ARX-1515CW
16	205	ARX-1516CW
17	215	ARX-1517CW
18	225	ARX-1518CW
19	235	ARX-1519CW

ARX-0012GM
12Pcs Straight 12PT Metric Gear Wrench Set

Contents

Size (mm)=D	Length (mm)	Item No.
8	139	ARX-0008GW
9	149	ARX-0009GW
10	159	ARX-0010GW
11	164	ARX-0011GW
12	170	ARX-0012GW
13	178	ARX-0013GW
14	190	ARX-0014GW
15	198	ARX-0015GW
16	208	ARX-0016GW
17	225	ARX-0017GW
18	235	ARX-0018GW
19	247	ARX-0019GW

ARX-7507DM
7Pcs 75° Offset 12PT Metric Double Ring Wrench Set

Contents

Size (mm)=D	Length (mm)	Item No.
6*7	168	ARX-750607DW
8*9	183	ARX-750809DW
10*11	198	ARX-751011DW
12*13	217	ARX-751213DW
14*15	239	ARX-751415DW
16*17	260	ARX-751617DW
18*19	292	ARX-751819DW

13° Offset Whitworth Combination Wrench


Item No.	Size (BSW)	L (mm)
BSW-130216W	1/8	140
BSW-130316W	3/16	160
BSW-130416W	1/4	180
BSW-130516W	5/16	200
BSW-130616W	3/8	220
BSW-130716W	7/16	250
BSW-130816W	1/2	280
BSW-130916W	9/16	295
BSW-131016W	5/8	340
BSW-131116W	11/16	360
BSW-131216W	3/4	380
BSW-131416W	7/8	410

ARX-BSW007WK
7Pcs 13° Offset Whitworth Wrench Set

Size : 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2


ARX-BSW012WK
12Pcs 13° Offset Whitworth Combination Wrench Set

 Size : 1/8, 3/16, 1/4, 5/16, 3/8, 7/16
 1/2, 9/16, 5/8, 11/16, 3/4, 7/8


W/ Wallet

ARX-6510
10 Purchase Combination Screwdriver Set

Handle material: PP+TPR

Blade Alloy Steel: Cr-V 8660

+PH Screwdriver : -Slot Screwdriver:

1Pc-#3 x 150 mm L	1Pc-1.2 x 8 x 175 mm L (Standard)
1Pc-#2 x 100 mm L	1Pc-1.2 x 6.5 x 150 mm L (Standard)
1Pc-#1 x 80 mm L	1Pc-1.0 x 5.5 x 125 mm L (Standard)
1Pc-#0 x 60 mm L	1Pc-0.8 x 4 x 100 mm L (Parallel)
1Pc-#2 x 25 mm L	1Pc-1.2 x 6.5 x 25 mm L (Hollow Ground)


ARX-GS6506B
6 Purchase Combination Screwdriver Set

Handle material: PP+TPR

Blade Alloy Steel: Cr-V 8660

+PH Screwdriver : -Slot Screwdriver:

1Pc-#1 x 75 mm	1Pc-5.5 x 100 mm
1Pc-#2 x 100 mm	1Pc-6.5 x 150 mm
1Pc-#3 x 150mm	1Pc- 8 x 175 mm


ARX-W6174
7 Pcs ScrewDriver

Content :

- ⊖ 3.0 X 130, 5.0X130(mm)
- ⊕ PH1 X 130, PH2X130(mm)
- awl X 130(mm)
- 5.0 X 130(mm)


ARX-TA17 780mm Screwdriver


ARX-100BK
100 Pcs Driver Bits Kit

- 8-PH: 0,1,2,2,2,2,2,3
- 8-PZ: 0,1,2,2,2,2,2,3
- 4-Square: #0,#1,#2,#3
- 4-Spanner: 4,6,8,10
- 3-Torq: 6,8,10
- 4-Tri Wing: 1,2,3,4
- 3-Butterfly: #1,#2,#3
- 3-Spline: 5,6,8

- 1Pc-60mmL Magnetic Bit Holder
- 1Pc-Y Type Hook Bit
- 1Pc-1/4"SQ. x 1/4" Bit Holder
- 1Pc-1/4"SQ. Socket Adaptor (50mmL)
- 1Pc-1/4"SQ. Socket Adaptor (25mmL)


ARX-6349
15 Pcs Impact Driver Set

Phillips(+):No1,2,3&4
Hex:4,5,6&8mm
Slotted(-):5,6,8,10mm
3/8"Dr.Socket Adapter
1/2"Dr.*5/16"Bit Holder
1/2"Dr.Impact Driver


ARX-CS2500
3/8" Impact Driver Set

4Pcs 36mm * 5/16" Hex Bit
Phillips: No.2, No.3
Slotted: 8mm, 10mm
1Pcs 3/8" Dr. Impact Driver
1Pcs 3/8" Dr * 5/16" Bit Holder


ARX-08BK
8Pcs Torx Driver Kit

1Pc 90 ° Offset Screwdriver Bit Handle
7Pcs 30mmL Torx Tamper Proof Bits
Size:T10,T15,T20,T25,T27,T30,T40



ARX-130031R
31Pcs 3/8" Dr. Socket & E Socket Set


18Pcs 3/8" 6Pt. Socket: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
7Pcs 3/8" E Socket: E6, E8, E10, E11, E12, E14, E16
2Pcs 3/8" Wobble Extension Bar: 75mm / 150mm
2Pcs 3/8" Spark Plug Socket: 16, 21mm
1Pc 3/8" Ratchet Handle
1Pc Universal Joint

ARX-400064R
64Pcs 1/2" Dr. Socket & E Socket Set


20Pcs 1/2" 6Pt. Socket: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32, mm
8Pcs 1/2" 6Pt. Deep Socket: 10, 11, 12, 13, 14, 15, 17, 19 mm
9Pcs 1/2" E Socket: E10, E11, E12, E14, E16, E18, E20, E22, E24
4Pcs 1/2" Impact Socket: 17, 19, 21, 24 mm
15Pcs 8mm Bit: 3, 4 8, 10, 12 8, 10, 12 14 3, 4 T40, T45, T50, T55
2Pcs 1/2" Spark Plug Socket: 16, 21mm
2Pcs 1/2" Wobble Extension Bar: 125mm / 250mm
1Pc 1/2" Ratchet Handle
1Pc 1/2" Universal Joint
1Pc 1/2" Sliding T Bar
1Pc 1/2" Coupler

ARX-HT71
73Pcs 1/4" & 1/2" Dr. Socket Tool Set


9Pcs 1/4" Dr. 6PT Socket: 5, 6, 7, 8, 9, 10, 11, 12, 13mm
10Pcs 1/2" Dr. 12PT Socket: 10, 11, 12, 13, 14, 15, 17, 19, 22, 24mm
1Pc 1/2" Wobble Extension Bar: 250mm
1Pc 1/2" Ratchet Handle
1Pc Hammer
1Pc 1/2" Universal Joint
2Pcs 1/2" Spark Plug Socket: 16, 21mm
1Pc 1/4" Spanner Handle
1Pc 1/2" (M) x 3/8" (F) T-M Head
8Pcs Combination Wrench: 10, 11, 12, 13, 14, 15, 17, 19mm
7Pcs Hex Key: 2.5, 3, 4, 5, 6, 8, 10
1Pc 250mm Water Pump Plier
1Pc 160mm Linesman Plier
5Pcs Screwdriver: 3-Slotted: 8x150mm, 6.5x100mm, Stubby 6.5x30mm 2-Phillips: #2x100mm, Stubby #2x30mm
1Pc Ratchet Bit Driver
22Pcs Bit: 3, 4, 5, 6, 7 1, 2, 3 1, 2, 3 3, 4, 5, 6, 7 T10, T15, T20, T25, T30
1Pc 220-250V Tester

ARX-130016T
16 Pcs 3/8" Dr. Torx Socket Bit Set

3/8" 48mmL Torx Socket Bit:

T15, T20, T25, T27, T30, T40, T45, T50

3/8" 140mmL Torx Socket Bit:

T15, T20, T25, T27, T30, T40, T45, T50


Tamper-Proof
ARX-SB4009TRB
9Pcs 1/2" Dr. Star Socket Bit Set

1/2" 55mmL Torx Socket Bit:

T20, T25, T27, T30, T40, T45, T50, T55, T60


Tamper-Proof
ARX-130016H
16 Pcs 3/8" Dr. Hex Socket Bit Set

3/8" 48mmL Hex Socket Bit:

4, 5, 6, 7, 8, 9, 10, 12

3/8" 140mmL Hex Socket Bit:

4, 5, 6, 7, 8, 9, 10, 12


ARX-SB4008HXB
8Pcs 1/2" Dr. Hex Socket Bit Set

1/2" 55mmL Hex Socket Bit: 5, 6, 7, 8, 10, 12

1/2" 65mmL Hex Socket Bit: 14

1/2" 70mmL Hex Socket Bit: 17


ARX-400020T
20 Pcs 1/2" Dr. Torx Socket Bit Set

1/2" 55mmL Torx Socket Bit:

T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

1/2" 140mmL Torx Socket Bit:

T15, T20, T25, T27, T30, T40, T45, T50, T55, T60


Tamper-Proof
ARX-432012TB
12Pcs 1/4" & 3/8" & 1/2" Dr. Star Socket Bit Set

 1/2" Torx Socket Bit: T8, T10, T15
 3/8" Torx Socket Bit: T20, T25, T27, T30
 1/4" Torx Socket Bit: T40, T45, T50, T55, T60

Tamper-Proof
ARX-400016H
16 Pcs 1/2" Dr. Hex Socket Bit Set

1/2" 55mmL Hex Socket Bit:

5, 6, 7, 8, 9, 10, 12, 14, 17, 19

1/2" 140mmL Hex Socket Bit:

5, 6, 7, 8, 10, 12


ARX-SB4008HXBS
8Pcs 1/2" Dr. Hex Socket Bit Set

1/2" 55mmL Hex Socket Bit: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

1/2" 65mmL Hex Socket Bit: 9/16"

1/2" 70mmL Hex Socket Bit: 5/8"



ARX-432014E
14Pcs 1/4" & 3/8" & 1/2" Dr. Star Socket Set

1/4" Star Socket: E4, E5, E6, E7, E8

3/8" Star Socket: E10, E12

1/2" Star Socket: E14, E16, E18, E20, E24

1/4"(M) x 3/8"(F) & 3/8"(M) x 1/2' (F) Adapter


ARX-432012EB
12Pcs 1/4" & 3/8" & 1/2" Dr. Star Socket Set

1/2" Star Socket : E14, E18, E20

3/8" Star Socket : E7, E8, E10, E11, E12

1/4" Star Socket : E4, E5, E6


ARX-6027MSB
27Pcs 3/4" Dr. Hand Socket Wrench Set

10Pcs 12Pt. Metric sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

12Pcs 12Pt SAE sockets: 7/8, 15/16, 1, 1-1/8, 1-3/16, 1-5/16, 1-3/8,

1-7/16, 1-5/8, 1-3/4, 1-7/8, 2"

2Pcs 4" Ext. Bar: 4" / 8"

1Pc 20" Professional Rev. Ratchet Quick Release

1Pc 18" Sliding "T" Bar

ARX-30008KHT
8 Pcs 3/8" Dr. Star Socket Set

3/8" Star Socket: E6, E7, E8, E10, E11, E12, E14, E16


1/2" Dr. 12PT Whitworth Socket

Item No.	Size (BSW)	L (mm)
BSW-120316	3/16	38
BSW-120416	1/4	38
BSW-120516	5/16	38
BSW-120616	3/8	38
BSW-120716	7/16	38
BSW-120816	1/2	38
BSW-120916	9/16	38
BSW-121016	5/8	38
BSW-121116	11/16	38
BSW-121216	3/4	38

BSW-12008K
8Pcs 1/2" Dr. Whitworth Socket Set

 Size : 3/16, 1/4, 5/16, 3/8
 7/16, 1/2, 9/16, 5/8

ARX-40009KHT
9 Pcs 1/2" Dr. Star Socket Set

1/2" Star Socket: E10, E11, E12, E14, E16, E18, E20, E22, E24


3/8" Dr. 12PT Whitworth Socket

Item No.	Size (BSW)	L (mm)
BSW-380216	1/8	28
BSW-380316	3/16	28
BSW-380416	1/4	28


BSW-12010K
10Pcs 1/2" Dr. Whitworth Socket Set

 Size : 3/16, 1/4, 5/16, 3/8, 7/16
 1/2, 9/16, 5/8, 11/16, 3/4


ARX-12040
40PC 1/2"Dr. AF(SAE)/Metric Socket Set


18Pcs 12Pt. Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

20, 21, 22, 23, 24, 27, 30, 32 mm

15Pcs 12Pt. AF(SAE) Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16",

3/4", 13/16", 7/8", 15/16", 1", 1-1/16"

1-1/8", 1-3/16", 1-1/4"

1Pc 72 Teeth Curved Ratchet Handle

1Pc Swivel Handle 380 mm

1Pc Universal Joint

1Pc 3" Ext. Bar (75mmL)

1Pc 5" Ext. Bar (125mmL)

1Pc 10" Ext. Bar (250 mmL)

1Pc 1/2" M x 3/8" F 3-Way Adaptor


ARX-38040
40Pcs 3/8" Dr. Metric/SAE Socket Set


1Pcs 72Teeth Curved Ratchet Handle

1Pcs Swivel Handle 250mm

1Pcs Universal Joint(250mmL)

1Pcs 3" Ext. Bar (75mmL)

1Pcs 6" Ext. Bar (150mmL)

1Pcs 10" Ext. Bar (250mmL)

1Pcs 3/8" M x 1/2" F 3-Way Adaptor

18Pcs 12Pt. Metric Sockets:

Size: 6,7,8,9,10,11,12,13,14,15,16,17,

18,19,20,21,22,23mm

15Pcs 12Pt. AF(SAE) Sockets:

Size: 1/4", 9/32", 5/16", 11/32", 3/8",

13/32", 7/16", 15/32", 1/2", 9/16",

5/8", 11/16", 3/4", 13/16", 7/8"

Universal Joint

12Pt. Socket

72 Teeth Ratchet Handle

3-Way Adaptor

Hex Shape Ext. Bar


ARX-14042
42Pcs 1/4"Dr. AF(SAE)/Metric Socket Set


1Pcs 72Teeth Curved Ratchet Handle

1Pcs Swivel Handle 150mmL

1Pcs Universal Joint

1Pcs Sliding T-bar

1Pcs Spinner Handle

1Pcs 2" Ext. Bar (50mmL)

1Pcs 6" Ext. Bar (150mmL)

9Pcs 12Pt. Metric Sockets:

Size: 5,6,7,8,9,10,11,12,13mm

9Pcs 12Pt. AF(SAE) Sockets:

Size: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2",

9Pcs 12Pt. Metric Deep Sockets

Size: 5,6,7,8,9,10,11,12,13mm

8Pcs 12Pt. AF(SAE) Deep Sockets:

Size: 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 7/16", 1/2"

Universal Joint

**12Pt. Socket
12Pt. Deep Socket**


Spinner Handle

**72 Teeth Ratchet Handle
Quick Release**

Reversible Switch
Swivel Handle 150mmL


HONIDRIVER serise


1. The HONIDRIVER system fits Metric 6pt, Metric 12pt, SAE 6pt, SAE 12pt, E-TORX, Spline, Square & 50% rounded off nuts & bolts.
2. The nuts/bolts' point of contact are evenly distributed onto larger surface areas during application, thus distributing pressure instead of connecting to several sharp point, so as the nuts / bolts will not be damaged easily.
3. Manufactured from high quality materials including improved Chrome Vanadium Steel (Cr-V4), Molybdenum and Tungsten which extends the life ability 10 times the DIN standard.
4. Torque exceeds double the normal DIN standard.
5. This can be applied to a wide variety of markets-Automotive, Industrial, Retail & Hardware.



SIZE	METRIC	SAE	STAR	SIZE	METRIC	SAE	STAR
3.2	3.2	1/8"	E4	16	16	5/8"	E20
4	4	5/32"	E5	17	17	21/32"	
4.5	4.5			18	18	11/16"	E22
5	5	3/16"	E6	19	19	3/4"	E24
5.5	5.5	7/32"	E7	20	20	25/32"	
6	6		E8	21	21	13/16"	E26
1/4"		1/4"	E8	22	22	7/8"	E28
7	7	9/32"		23	23	29/32"	E28
8	8	5/16"	E10	24	24	15/16"	E30
9	9	11/32"	E11	25	25	31/32"	E32
10	10	3/8"	E12	26	26	1"	E32
11	11	7/16"	E14	27	27	1-1/16"	E34
12	12	15/32"		28	28	1-3/32"	E36
13	13	1/2"	E16	29	29	1-1/8"	E36
14	14	9/16"	E18	30	30	1-3/16"	E38
15	15	19/32"		32	32	1-1/4"	E40

ARX-112041HA (Mat Finish)
ARX-112041HF (Mirror Finish)
41Pcs 1/4"DR. Honidriver Socket Set


13Pcs 1/4" Dr. Honidriver Socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

1Pc 1/4" Ratchet Handle

1Pc 1/4" Spanner Handle

1Pc 1/4" Wobble Extension Bar 50mmL

1Pc 1/4" Sliding T Bar

1Pc 1/4" x 1/4" Hex Coupler

20Pcs Bit: 4, 5.5, 7 1, 2, 3 1, 2, 3 3, 4, 5, 6

T8, T10, T15, T25, T27, T30, T40

3Pcs Hex Key Wrench: 1.5, 2.0, 2.5mm

**ARX-13026HA (Mat Finish)
ARX-13026HF (Mirror Finish)
26Pcs 3/8" Dr. Honidriver Socket Set**



19Pcs 3/8" Honidriver Socket: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 20, 21, 22, 23, 24 mm

1Pc 3/8" Ratchet Handle

2Pcs 3/8" Wobble Extension Bar: 75mm / 150mm

2Pcs 3/8" Spark Plug Socket: 16, 21mm

1Pc 3/8" Sliding T Bar

1Pc 3/8" Universal Joint

**ARX-132045HA (Mat Finish)
ARX-132045HF (Mirror Finish)
45Pcs 1/4" & 3/8" Dr. Honidriver Socket Set**



8Pcs 1/4" Honidriver Socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9mm

10Pcs 3/8" Honidriver Socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

1Pc 3/8" Ratchet Handle

1Pc 3/8" Wobble Extension Bar: 75mm

2Pcs 3/8" Spark Plug Socket: 16, 21mm

1Pc 1/4" Spanner Handle

20Pcs Bit: 1, 2, 3 1, 2, 3 4, 5.5, 7 3, 4, 5, 6
 T8, T10, T15, T25, T27, T30, T40

1Pc 1/4" x 1/4" Hex Coupler

1Pc 1/4"(M) x 3/8"(F) Adapter

**ARX-400025HA (Mat Finish)
ARX-400025HF (Mirror Finish)
25Pcs 1/2" Dr. Honidriver Socket Set**



18Pcs 1/2" Dr. Honidriver Socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
20, 21, 22, 23, 24, 27, 30, 32mm

2Pcs 1/2" Wobble Extension Bar: 125, 250mm

1Pc 1/2" Ratchet Handle

1Pc 1/2" Universal Joint

2Pcs 1/2" Spark Plug Socket: 16, 21mm

1Pc 1/2" Sliding T Bar

ARX-402064QE (Mat Finish)
ARX-402064QU (Mirror Finish)
64Pcs 1/4" & 1/2" Dr.
Honidriver Socket Set


12Pcs 1/4" Honidrvier Socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

 10Pcs 1/2" Honidriver Socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
 21, 22, 24, 27, 30, 32mm

2Pcs 1/2" Spark Plug Socket: 16, 21mm

1Pc 1/4" Ratchet Handle

1Pc 1/2" Ratchet Handle

2Pcs 1/4" Extension Bar: 50, 150mm

2Pcs 1/2" Wobble Extension Bar: 125, 250mm

1Pc 1/4" Universal Joint

1Pc 1/2" Universal Joint

1Pc 1/4" (M) x 3/8" (F) T-M Head

1Pc 1/2" (M) x 3/8" (F) T-M Head

1Pc 1/4" Spanner Handle

3Pcs Hex Key Wrench: 1.5, 2.0, 2.5mm

20Pcs Bit: 1, 2, 3 1, 2, 4, 5.5, 7

T10, T15, T20, T25, T27, T30, T40

3, 4, 5, 6, 8mm

ARX-432111HA (Mat Finish)
ARX-432111HFW (Mirror Finish)
111Pcs 1/4" & 3/8" & 1/2"
Dr. Honidriver Socket Set


13Pcs 1/4" Honidrvier Socket: 3.2, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

11Pcs 3/8" Honidriver Socket: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

14Pcs 1/2" Honidriver Socket: 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm

1Pc 1/4" Ratchet Handle

1Pc 3/8" Ratchet Handle

1Pc 1/2" Ratchet Handle

1Pc 1/4" Spanner Handle

2Pcs 1/4" Extension Bar: 50, 150mm

2Pcs 3/8" Wobble Extension Bar: 75, 150mm

2Pcs 1/2" Wobble Extension Bar: 125, 250mm

2Pcs 3/8" Spark Plug Socket: 14, 18mm

2Pcs 1/2" Spark Plug Socket: 16, 21mm

 3Pcs T-M Head: 3/8"(F) x 1/4"(M) & 3/8"(F) x 1/2"(M) &
 1/2"(F) x 3/8"(M)

1Pc 1/4" Universal Joint

1Pc 3/8" Universal Joint

1Pc 1/2" Universal Joint

21Pcs 1/4" Socket Bit: 1, 2, 3 1, 2, 3 4, 5.5, 7

3, 4, 5, 6, 7, 8 T10, T15, T20, T25, T30, T40

3Pcs Hex Key Wrench: 1.5, 2.0, 2.5mm

2Pcs Coupler: 3/8"Dr. x 5/16"Hex & 1/2"Dr. x 5/16"Hex

 15Pcs 5/16" Bit: 3, 4 8, 10, 12 8, 10, 12, 14 3, 4
 T40, T45, T50, T55

12Pcs Honidriver Combination Wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

**11Pcs 1/4" Dr.
Honidriver Socket Set**

ARX-11211H

ARX-11211LH Long Type

Size: 4, 4.5, 5, 5.5, 6, 7,
8, 9, 10, 11, 12mm



ARX-HT12HR

12Pcs 3/8" Dr.

Honidriver Socket Set

Socket: 8,9,10,11,12,13,14,15,16,17,19 mm
1Pcs 3/8" Ratchet Handle



**10Pcs 3/8" Dr.
Honidriver Socket Set**

ARX-13010H

ARX-13010LH Long Type

Size: 10, 11, 12, 13, 14,
15, 16, 17, 18, 19mm



**10Pcs 1/2" Dr.
Honidriver Socket Set**

ARX-40010H

ARX-40010LH Long Type

Size: 10, 11, 12, 13, 14,
15, 16, 17, 18, 19mm



ARX-4517HW

17Pcs 45°Offset Honidriver

Combination Wrench Set

Size: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
16, 17, 18, 19, 20, 21, 22 mm



ARX-0012GHCWU

12Pcs Honidriver

Straight Gear Wrench Set

Size: 8, 9, 10, 11, 12, 13, 14,
15, 16, 17, 18, 19 mm



ARX-1514HCWU

14Pcs 15° Offset Honidriver

Combination Wrench Set

Size: 6, 7, 8, 9, 10, 11, 12, 13,
14, 15, 16, 17, 18, 19 mm



3/8"Dr.Universal Long Extension
ARX-8043320U Blade L:320mm

ARX-8043450U Blade L:450mm

ARX-8043600U Blade L:600mm

ARX-8043700U Blade L:700mm


1/2" Dr. Universal Long Extension
ARX-8044500U Blade L:500mm

ARX-8044700U Blade L:700mm

Flexible Extension Tube
ARX-K0072-3F 3/8" Dr.

ARX-K0072-4F 1/2" Dr.

ARX-4320091EXW
9Pcs 1/4" & 3/8" & 1/2" Dr.
Wobble Extension Bar Set
1/4" Dr. : 50 / 100 / 225mm
3/8" Dr. : 75 / 150 / 225mm
1/2" Dr. : 50 / 125 / 250mm

Applications of Wobble Extension Bar


Ratchet Handle

**ARX-RH2361/4"****ARX-RH3363/8"****ARX-RH4361/2"**

ARX-YC101SP

Hydraulic & Puller Kit



25 Pieces In One Blow Case

Part No.	Description	Q'TY		Part No.	Description	Q'TY	
SP-150000	SKYES Ram Body	1		ARX-9016C	6" Extension Rod	2	
ARX-8008	8" Leg	3		ARX-9016D	12-1/2" Extension Rod	2	
ARX-8006	6" Leg	3		ARX-9014	H Beam	1	
ARX-8004	4" Leg	3		ARX-SP3	20-105mm Seperator	1	
ARX-8012	Twin Head	1		ARX-8011	Ram Parts	1	
ARX-9013	Triple Head	1		ARX-8013	1-1/4" Centre Adaptor	1	
ARX-7088	Mechanical Adaptor	1		ARX-8014	2" Main Shaft	1	
ARX-9016A	8" Main Rod	2		ARX-8015	4" Main Shaft	1	

**Kit Made in Taiwan
Ram Made in England**

ARX-YC101Eco

Hydraulic & Puller Kit



Part No.	Description	Q'TY		Part No.	Description	Q'TY	
ARX-8000	Hyd. Ram Body	1		ARX-9016C	6" Extension Rod	2	
ARX-8006	6" Leg	3		ARX-9016D	12-1/2" Extension Rod	2	
ARX-8008	8" Leg	3		ARX-9014	H Beam	1	
ARX-8012	Twin Head	1		ARX-SP3	20-105mm Seperator	1	
ARX-9013	Triple Head	1		ARX-8011	Ram Parts	1	
ARX-7088	Mechanical Adaptor	1		ARX-8013	1-1/4" Centre Adaptor	1	
ARX-9016A	8" Main Rod	2		ARX-8014	2" Main Shaft	1	
				ARX-8001	Extra Large Metal Case	1	

ARX-YC701/13
13 Pcs Slide Hammer Puller Set

T-Bar: 1Pc ($\phi 5/8"$ -8T/inch x L24" S45C)
Hammer: 1Pc (Cast Iron 5Lbs)
Axle Puller: 1Pc (Pitch 130mm)
Grip Wrench Adapter: 1Pc , Nut: 1Pc
Stopper Cone: 1Pc , Twin Head: 1Pc
Triple Head: 1Pc , Screw & Nut: 3Pcs
Jaw: 3Pcs (Drop Forged S45C)
Hook: 1Pc , Tapping Screw : 1Pc


ARX-YC701/15
15 Pcs Slide Hammer Puller Set

T-Bar: 1Pc ($\phi 5/8"$ -8T/inch x L24" S45C)
Hammer: 1Pc (Cast Iron 5Lbs)
Axle Puller: 2Pcs (Pitch 110 & 130mm)
Grip Wrench Adapter: 1Pc , Nut: 1Pc
Stopper Cone: 1Pcs , Twin Head: 1Pc
Triple Head: 1Pc , Screw & Nut: 3Pcs
Jaw: 3Pcs (Drop Forged S45C)
Hook: 1Pc , Tapping Screw: 1Pc


ARX-SP912
Universal Mechanical Puller Set

1 x Beam
1 x Force Screw
1 x Separator Plate (Size...7 ~ 75mm)
2 x Legs & Nuts to Suit
4 x Extensions & Nuts to Suit


ARX-YC706
Bearing Plate Puller

Forcing Screw: 1Pc
($\phi 9/16"$ -10T x L175mm S45C)
Beam: 1Pc (S45C)
Main/Extension Rod: 2Pcs/2Pcs
(14mm x L102mm x 3/8"-16T Hex Bar)
Main/Extension Rod: 2Pcs/2Pcs
(17mm x L127mm x 3/8"-16T Hex Bar)
Bearing Separator: 2Pcs
Spread Range 30~50mm & 50~75mm


ARX-YC708
Separator Puller Set

Forcing Screw: 1Pc
($\phi 18.65$ -18T x L292mm S45C)
Beam: 1Pc (S45C)
Central Nut: 1Pc (S45C)
Main Rod: 2Pcs
(19mmxL8" x $\phi 15.24$ mm-1.75P Hex Bar)
Extension Rod: 2Pcs
(19mmxL8" x $\phi 15.24$ mm-1.75P Hex Bar)
Bearing Separator: 1Pc
Spread Range 75~150mm


ARX-YC716
Mini Bearing Puller

Forcing Screw: 1Pc
($\phi 15/16"$ -18T x L102mm S45C)
Beam: 1Pc
Main Rod: 2Pcs
(8mm x L85mm x 1/4"-20T Hex Bar)
Extension Rod: 2Pcs
(8mm x L40mm x 1/4"-20T Hex Bar)
Bearing Separator: 1Pc
Spread Range 10~35mm
Jaw: 2Pcs (L82mm)


ARX-SP913
6Pcs Blind Bearing Puller Kit

Suitable Collet Size:
1.913-C.10~14 mm
2.913-D.15~19 mm
3.913-E.18~25 mm
4.913-F. 25~32 mm


ARX-YC610
Internal Bearing Puller Set

Forcing Screw.....5/8"-1.0P*L180mm
Central Bolt.....7/8"-14T*L60mm
Spread Range..17~22mm & 25~32mm


ARX-F002
Bearing Puller with Pilot and Split Collets

9 Size Bearing Collets
Size.....8mm ~ 32mm



ARX-F1
Bearing Puller Tool

Size..... 8mm ~ 25mm


ARX-YC900
10Lbs 9 Pcs Dent Puller

Slide Bar: 1Pc (22.5mm x L590mm)

Hammer: 1Pc (Cast Iron 10Lbs)

Hook: 5Pcs

(W6mm x L170mm / W6mm x L120mm)

(W6mm x L120mm / W6mm x L200mm)

(W3mm x L100mm)



Two Hole Pipe: 1Pcs (29mm x 40mm)

Pipe: 1Pc (22.5mm x L200mm)

Chain & Hook: 1Pc , Tapping Screw: 1Pc

ARX-YC9111
Universal Hydraulic Hub Puller Set

Hydraulic Ram
Adapter
Ram Extension Rod
Forcing Screw
Striking Handle
Hub Puller Socket
Hub Puller Legs x 5Pcs


ARX-F003
Crank Pulley Puller(Heavy Duty)

ARX-YC675
Blind Bearing Puller

*Beam & Leg Assembly

*4 x Split Collets

Internal Diameters (I.D)

8mm, 10mm, 12mm, 15mm


ARX-YC1000
Internal & External Puller Set

Heavy Duty Drop Forged Cr-V Steel

Capacity :

1 - Internal small..... CAP 15 - 30mm

1 - Internal large.....CAP 30 - 80mm

1 - External.....CAP 15 - 80mm


ARX-YC710
6 Way Hydraulic Gear Puller

Hydreaulic Ram

Combination Cross Head

Combination Leg x 3Pcs


Steel Plate x 6Pcs

Screw / Nut / Washer x 6Pcs

Sent Pop

Ram Extension Rod




ARX-OR705 Bearing Puller



Adjust Range	Bearing Range	Jaw Size Ø (mm)
20~95mm	6004-6010 6201-6206 6300-6304	6 / 8 5.5 / 6 / 8 6 / 8

ARX-OR705-2 3-Way Bearing Puller


Adjust Range	Bearing Range	Jaw Size Ø (mm)	Beam	Legs
35~120mm	6207 - 6211 6305 - 6308 6403 - 6405	11 / 12.5 / 15 11 / 12.5 11 / 12.5 / 15	30~50mm	30~90mm

ARX-OR705M Bearing Puller


Adjust Range	Bearing Range	Jaw Size Ø (mm)
35~120mm	6207 - 6211 6305 - 6308 6403 - 6405	11 / 12.5 / 15 11 / 12.5 11 / 12.5 / 15

ARX-OR705L Bearing Puller


Adjust Range	Bearing Range	Jaw Size Ø (mm)
56~220mm	6021 - 6032 6212 - 6230 6309 - 6321 6406 - 6417	15 / 17.4 / 20 15 / 17.4 / 20 / 25.2 / 30 17.4 / 20 / 25.2 / 30 / 36.4 15 / 17.4 / 20 / 25.2 / 30 / 36.4

2 Jaws Mechanical Puller
ARX-2MP3" Size....3"

ARX-2MP4" Size....4"

ARX-2MP6" Size....6"

ARX-2MP8" Size....8"

3 Jaws Mechanical Puller
ARX-3MP3" Size....3"

ARX-3MP4" Size....4"

ARX-3MP6" Size....6"

ARX-3MP8" Size....8"

2 & 3 Jaws Gear Puller
ARX-MP234 4" Cr-V

ARX-MP237 7" Cr-V

2-Arm Gear Puller
ARX-SG80 80 x 90mm *U.S.A Type*
ARX-SG120 120 x 90mm

ARX-SG160 160 x 140mm

ARX-SG200 200 x 140mm

2 Jaws Arm Gear Puller
ARX-ST22/08 22/08"

ARX-ST22/10 22/10"

ARX-ST22/12 22/12"

3 Jaws Arm Gear Puller
ARX-ST33/06 33/06"

ARX-ST33/08 33/08"

ARX-ST33/10 33/10"

ARX-ST33/12 33/12"

Alloy Steel
2 - 3 Jaws Reversible Puller
ARX-MP3-5A Size....3"

ARX-MP4-5A Size....4"

ARX-MP5-5A Size....5"

ARX-MP6-5A Size....6"

Alloy Steel
3 Jaws Reversible Puller
ARX-MP4-2A Size....4"

Bearing Separator
ARX-SP10 10 ~ 30mm

ARX-SP1 30 ~ 50mm

ARX-SP2 50 ~ 75mm

ARX-SP3 75 ~ 105mm

ARX-SP4 105 ~ 150mm

ARX-SP5 150 ~ 200mm



ARX-PB1238
Pilot Bearing Puller

Pulling I.D.....12-38mm


Pitman Arm Puller
ARX-PIT1T Ductile Iron
ARX-PIT2T Drop Forge

Reaching Length.....64mm

Opening.....32mm


ARX-PSPP
Pulley Puller

Featuring:

1.Power Starting Pump Pulley Puller

2.Alteranaton Motors Bearings Puller


ARX-HS933
Fast Fit Micro Puller

Legs Spread.....19 ~45mm

Shaft Reach.....73mm


ARX-YC0002
Outer Tie Rod Remover

Pulling O.D.....70mm

Reaching Length.....75mm


ARX-YC0005
Spindle Bearing Puller

Pulling O.D.....10-50mm

Reaching Length.....235mm


ARX-YC902
Two Pieces Axle Puller

Screw.....5/18"x-18T/inch x L140mm

Axle Puller.....130mm Drop Forged


ARX-YC7001/2
Two Pieces Hub Puller

Screw.....5/18"x-18T/inch x L140mm

Hub Puller.....110mm Drop Forged


ARX-AB-1/2
Armature Bearing Puller

ARX-AB-1 Range 19 ~ 35mm

ARX-AB-2 Range 24 ~ 55mm



Screen Torque Wrench



Item No.	Torque Range	Square Drive	Fine Scale	Length (mm)	Width (mm)	Lf (mm)
ARX-TW34251	5~25 N·m	1/4"	0.1 N·m	323	23	248
ARX-TW34351	20~100 N·m	3/8"	0.5 N·m	400	32	325
ARX-TW34400	20~100 N·m	1/2"	0.5N·m	400	32	325
ARX-TW34451	40~200 N·m	1/2"	1 N·m	517	42	442
ARX-TW34551	40~200 N·m	1/2"	1 N·m	620	42	545
ARX-TW34641	60~340 N·m	3/4"	1 N·m	620	42	545
ARX-TW34648	110~550 N·m	3/4"	2.5 N·m	865	58	790
ARX-TW34651	150~750 N·m	3/4"	2.5 N·m	1,070	58	995
ARX-TW34841	150~750 N·m	1"	2.5 N·m	1,070	58	995
ARX-TW34851	200~1000 N·m	1"	2.5 N·m	1,235	67	1,160

Screen Torque Wrench

ARX-TW012


Item No.	Torque Range	Square Drive	Fine Scale	Length (mm)
ARX-TW010	6~30 N·m	1/4"	0.1 N·m	350
ARX-TW011	20~100 N·m	3/8"	0.5 N·m	420
ARX-TW012	40~200 N·m	1/2"	0.5N·m	560
ARX-TW013	60~600 N·m	1/2"	1 N·m	600

Screen Torque Wrench

ARX-TW40200


Item No.	Torque Range	Square Drive	Length (mm)	Width (mm)	Weight(g)
ARX-TW20025	5~25 N·m	1/4"	290	26.5	420
ARX-TW30050	10~50 N·m	3/8"	360	40.5	920
ARX-TW30100	10~100 N·m	3/8"	405	40.5	1,020
ARX-TW40100	10~100 N·m	1/2"	405	40.5	1,020
ARX-TW40200	20~200 N·m	1/2"	500	40.5	1,200
ARX-TW40300	60~300 N·m	1/2"	595	40.5	1,330
ARX-TW40400	80~400 N·m	1/2"	680	40.5	1,820
ARX-TW60500	100~500 N·m	3/4"	970	63	3,700
ARX-TW60750	150~750 N·m	3/4"	1,150	63	6,800
ARX-TW81000	300~1,000 N·m	1"	1,250	63	9,200

ARX-TM465

5Psc 1/2" F x 3/4" M 1300N·m Torque Multiplier Set

Contents:

- 1Pc X Torque Multiplier
- 1Pc X 280mm Reaction Bar
- 1Pc X Reaction Bar
- 1Pc X Pin
- 1Pc X 3/4" Anvil



Square Drive	1/2" F X 3/4" M
Gear Ratio	1:9
Torque Ratio	1:5
Max Input Torque	206 N·m
Max Output Torque	1,300 N·m

ARX-TM485

5Psc 1/2" F x 3/4" M 1300N·m Torque Multiplier Set

Contents:

- 1Pc X Torque Multiplier
- 1Pc X 280mm Reaction Bar
- 1Pc X Reaction Bar



Square Drive	3/4" F X 1" M
Gear Ratio	1:5
Torque Ratio	1:5
Max Input Torque	540 N·m
Max Output Torque	2,700 N·m

ARX-TM11614

7Psc 1/2" F x 3/4" M 1500N·m Torque Multiplier Set

Contents:

- 1Pc X Torque Multiplier
- 1Pc X 380mm Reaction Bar
- 1Pc X 90° Reaction Bar
- 1Pc X 90° Reaction Base
- 2Pc X Bread-Away Adapter
- 1Pc X L Type Hex Key



Square Drive	1/2" F X 3/4" M
Gear Ratio	1:9
Torque Ratio	1:6.5
Max Input Torque	231 N·m
Max Output Torque	1,500 N·m

ARX-TM11714

7Psc 3/4" F x 1" M 1500N·m Torque Multiplier Set

Contents:

- 1Pc X Torque Multiplier
- 1Pc X 380mm Reaction Bar
- 1Pc X 90° Reaction Bar
- 1Pc X 90° Reaction Base
- 2Pc X Bread-Away Adapter
- 1Pc X L Type Hex Key



Square Drive	3/4" F X 1" M
Gear Ratio	1:4
Torque Ratio	1:3.3
Max Input Torque	758 N·m
Max Output Torque	2,500 N·m

ARX-TD40P-TM

Metric Size 40Pc. Tap and Die

34Pcs Tap and Die:

m3x0.5, m3x0.6, m4x0.7, m4x0.75, m5x0.8, m5x0.9, m6x0.75, m6x1.0, m7x0.75, m7x1.0, m8x1.0, m8x1.25, m10x1.25, m10x1.5, m12x1.5, m12x1.75, 1/8NPT27.
1Pc Tap Wrench (M3-M12)
1Pc "T" Type Tap Wrench
1Pc Die Stock (25MM)
1Pc Screw Driver
1Pc Screw Pitch Garge
1Pc Plastic Caseh

ARX-TD40P-TS

S.A.E. Size 40Pc. Tap and Die

34Pcs Tap and Die:

4ns36, 6nc32, 8nc32, 10nc24, 10nf32, 12nc24, 1/4nc20, 1/4nf28, 5/16nc18, 5/16nf24, 3/8nc16, 3/8nf24, 7/16nc14, 7/16nf20, 1/2nc13, 1/2nf20, 1/8NPT27
1Pc Tap Wrench (1/8"-1/2")
1Pc "T" Type Tap Wrench
1Pc Die Stock 1"
1Pc Screw Driver
1Pc Screw Pitch Garge
1Pc Plastic Case



High Carbon Steel for DIY market

ARX-TD40BM-TM

Metric Size 40Pc. Tap and Die

34Pcs Tap and Die:

m3x0.5, m3x0.6, m4x0.7, m4x0.75, Hm5x0.8, m5x0.9, m6x0.75, m6x1.0, m7x0.75, m7x1.0, m8x1.0, m8x1.25, m10x1.25, m10x1.5, m12x1.5, m12x1.75, 1/8NPT27.
1Pc Tap Wrench (M3-M12)
1Pc "T" Type Tap Wrench
1Pc Die Stock (25MM)
1Pc Screw Driver
1Pc Screw Pitch Garge
1Pc Blow Case

ARX-TD40BM-TS

S.A.E. Size 40Pc. Tap and Die

34Pcs Tap and Die:

4ns36, 6nc32, 8nc32, 10nc24, 10nf32, 12nc24, 1/4nc20, 1/4nf28, 5/16nc18, 5/16nf24, 3/8nc16, 3/8nf24, 7/16nc14, 7/16nf20, 1/2nc13, 1/2nf20, 1/8NPT27
1Pc Tap Wrench (1/8"-1/2")
1Pc "T" Type Tap Wrench
1Pc Die Stock 1"
1Pc Screw Driver
1Pc Screw Pitch Garge
1Pc Blow Case



Alloy Steel (SK-3 steel) Auto-maintenance market

ARX-LTD35

35pc Tap & Die set with Din 352 standard (professional)



21 pcs Tap size:

M3*0.5 x 3 pcs, M4*0.7 x 3 pcs,
M5*0.8 x 3 pcs, M6*1 x 3 pcs, M8*1.25 x 3 pcs,
M10*1.5 x 3pcs & M12*1.75 x 3 pcs
1Pc Tap Wrench (M3-M12)
1Pc Metric dies:
sizes as taps Material of Tap & Die is H.S.S 4241
for professional purpose
1Pc Screw pitch gauge
1Pc 72T T-bar 3/8"Dr. Ratchet handle for tap & die

ARX-MS
Magnetic Scriber



ARX-3004
Flex Claws Retriever
ARX-3007
Magnetic Retriever



ARX-400MT
Rectangular Magnetic Tray
Size:240*140*31mm



ARX-SP308MB
6" Round Magnetic Bowl
Size:Dia.150 (6") *30mm



Divider
ARX-D1006 Size...6"
ARX-D1008 Size...8"



Outside Calliper
ARX-OC2006 Size...6"
ARX-OC2008 Size...8"



Inside Calliper
ARX-IC3006 Size...6"
ARX-IC3008 Size...8"



ARX-CJ930
Heavy Duty Seal Puller



ARX-CJ590
Dust Cap Detaching Tool

Grease and dust cap tool.
Tapered jaws of tool fit behind the crimped edge of dust cap. One handle is designed for prying hub cap loose.



ARX-940HK
4Pcs Miniature Pick Set



ARX-VK3301
Vee Blocks (A Type)



ARX-JIWS107/4
4" Universal Cross Slide Vise



OPP Tape
ARX-OPP80B (Brown)
ARX-OPP80C (Clear)
Size:50mm x 80M



ARX-5500A 36" Jumbo Angle Foot Pry Bar



ARX-5500B 36" Jumbo Straight Pry Bar



ARX-0884
4 Pcs Pay Bar Set

Size:.....8", 12", 18", 24"
Blade Material.....Carbon Steel
Handle Material.....Nylon



TRAX

ARX-432115

115 Pcs 1/4" + 3/8" + 1/2" Dr. Socket & Wrench Set



Contents

3Pcs 72Teeth Curved Ratchet Handle

Size: 1/2"Dr., 3/8"Dr., 1/4"Dr.

1/4"Dr.:

12Pcs 1/4" Dr. Sockets(12PT)

Size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

5Pcs 1/4" Dr. Accessories

Universal Joint

Extension Bars: 50, 150 mm

3/8"Dr. Female x 1/4"Dr. Male adaptor(3ways)

Spinner Handle

21Pcs Screwdriver Sockets

TX Type : T-10, 15, 20, 25, 30, 40

Slotted Type : 4, 5.5, 7 mm

Hex Type : 3, 4, 5, 6, 7, 8 mm

Pozidrive Type : # 1, 2, 3

Phillip Type : # 1, 2, 3

3/8"Dr.:

12Pcs 3/8" Dr. Sockets(12PT)

Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

5Pcs 3/8" Dr. Accessories

Universal Joint

Wobble Extension Bars: 75, 150 mm

1/2"Dr. Female x 3/8"Dr. Male adaptor(3ways)

Coupler of bits

1/2"Dr.:

14Pcs 1/2" Dr. Sockets(12PT)

Size: 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm

9Pcs 1/2"Dr. Accessories

Universal Joint

Wobble Extension Bars: 125, 250 mm

3/8"Dr. Female x 1/2"Dr. Male adaptor(3ways)

Coupler of bits

Spark Plug Sockets: 14, 16, 18, 21 mm

3Pcs Hex Key Wrenches: 1.5, 2.0, 2.5 mm

15Pcs Bits(5/16" x 30mm in length)

TX Type : T-40, 45, 50, 55

Slotted Type : 8, 10, 12 mm

Hex Type : 8, 10, 12, 14 mm

Phillips Type : # 3, 4

Pozidrive Type : # 3, 4

4Pcs Double Flex Socket Wrenches(12PT)

Size: 8 x 9, 10 x 11, 12 x 13, 14 x 15 mm

12Pcs 15° Off Set Combination Wrench(12PT)

Size: 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8 mm



**12PT
Corner Free**

1/4", 3/8", 1/2"Dr.
72 Teeth Ratchet Handle



Double Flex Socket
Wrenches



1/2"Dr. Spark Plug Sockets



1/4", 3/8", 1/2"Dr.
Short Sockets



1/4"Dr. Spinner Handle
for 1/4"Dr. Screw
Driver Bits



15° Off Set
Combination Wrench



3/8", 1/2" Dr. Bit Coupler
5/16" x 30mm in Length Bits



1/4", 3/8", 1/2"Dr.
Universal Joint



1/4", 3/8", 1/2"Dr. Ext. Bar + 3ways Adaptor=Sliding T Bar



3/8", 1/2"Dr. W/ Wobble



Hex. Shape for
Comb. Wrench or
Adjustable Wrench

3 ways Adaptor

Guaranteed Quality & Performance



ARX-FDW0100C

11Pcs 12PT Flat Double Ring Wrench Set



Contents

Size(mm)	Length (mm)	Item No.
8*9	235	ARX-FDW0809E
10*11	290	ARX-FDW1011E
12*13	328	ARX-FDW1213E
14*15	368	ARX-FDW1415E
16*17	388	ARX-FDW1617E
18*19	408	ARX-FDW1819E
20*22	415	ARX-FDW2022E
21*23	430	ARX-FDW2123E
24*27	445	ARX-FDW2427E
25*28	445	ARX-FDW2528E
30*32	460	ARX-FDW3032E

SIZE

(W)195x(L)560x(H)40mm

Versatile tools set for drawer (W)400x(L)570mm



Drawer Tools set

